



US00D470308S

(12) **United States Design Patent**  
**McGeehan**

(10) **Patent No.:** **US D470,308 S**

(45) **Date of Patent:** **\*\* Feb. 18, 2003**

(54) **HAMMER CARRYING CASE**

(76) Inventor: **Sean McGeehan**, 2019 N. Shenandoah Dr., Arlington Heights, IL (US) 60004

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/150,776**

(22) Filed: **Nov. 29, 2001**

(51) **LOC (7) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/228**

(58) **Field of Search** ..... D3/228, 229, 254, D3/255, 259, 203, 244, 215, 214, 216, 217; 383/72, 76, 40, 38; 224/613, 616, 618, 922, 915; 43/26

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,903,798 A *	4/1933	Turner	.....	224/613
D271,162 S *	11/1983	Evans	.....	D3/254
4,558,807 A *	12/1985	Jackson	.....	224/915
D343,953 S *	2/1994	Marques	.....	D3/203
D389,642 S *	1/1998	Nadel	.....	D3/254
D403,503 S *	1/1999	Evans	.....	D3/215

\* cited by examiner

*Primary Examiner*—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Olson & Hierl, Ltd.

(57) **CLAIM**

The ornamental design for a hammer carrying case, as shown.

**DESCRIPTION**

FIG. 1 is an environmental view illustrating an embodiment of the inventive design for a hammer carrying case; the design being shown in perspective with the case top closure

closed and with the case being carried upon the back of a user who is shown in phantom.

FIG. 2 is a side elevational view of the design of FIG. 1; FIG. 3 is an opposite side elevational view relative to FIG. 2 of the design of FIG. 1;

FIG. 4 is a top plan view of the design of FIG. 1;

FIG. 5 is a bottom plan view of the design of FIG. 1;

FIG. 6 is a front view of the design of FIG. 1 taken at 90 degrees relative to FIG. 2;

FIG. 7 is a rear view relative to FIG. 6 of the design of FIG. 1;

FIG. 8 is a fragmentary side elevational view similar to the upper portion FIG. 2 but showing the case top closure in an open position;

FIG. 9 is a view similar to FIG. 4 but showing the case top closure in an open configuration;

FIG. 10 is a view similar to FIG. 5 but showing the case top closure in an open configuration;

FIG. 11 is a fragmentary perspective view similar to the upper portion of FIG. 1 but showing the case top closure in an open configuration;

FIG. 12 is a fragmentary view similar to the upper portion of FIG. 7 but showing the case top closure in an open configuration; and,

FIG. 13 is a fragmentary view similar to a medial portion of FIG. 3 but showing an alternative embodiment of the design of FIG. 1 wherein the side pocket is located at about 90 degrees relative to the shoulder strap.

The broken line showing of environment in the drawings is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 13




FIG. 4




FIG. 5





FIG. 6




FIG. 7

FIG. 9




FIG. 11




FIG. 8




FIG. 10




FIG. 12

