



US00D470316S

(12) **United States Design Patent**  
**Schmidt et al.**

(10) **Patent No.:** **US D470,316 S**

(45) **Date of Patent:** **\*\* Feb. 18, 2003**

(54) **PAINT APPLICATOR**

(75) Inventors: **Peter M. Schmidt**, Chicago, IL (US);  
**Ron C. Farnum**, Glen Ellyn, IL (US);  
**Dana W. Altheimer**, Port Washington,  
WI (US)

(73) Assignee: **Newell Operating Company**, Freeport,  
IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/145,703**

(22) Filed: **Jul. 25, 2001**

(51) **LOC (7) Cl.** ..... **04-04**

(52) **U.S. Cl.** ..... **D4/138**

(58) **Field of Search** ..... D4/132, 135, 138,  
D4/199; 15/143.1, 159.1, 160, 191.1, 192-195;  
16/110.1, 430, 431

D292,348 S 10/1987 Roberts et al.  
4,751,762 A 6/1988 Meimeteas  
4,847,939 A 7/1989 Derencsenyi et al.  
D311,455 S 10/1990 Snipes  
5,155,878 A 10/1992 Dellis

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

BE	514702	7/1954
DE	2 256 856	5/1974
DE	27 35 542	2/1979
GB	351858	7/1931
GB	844124	8/1960
GB	2050156	1/1981
JP	6-226193	8/1994
JP	6-85778	12/1994
WO	WO 93/16846	9/1993

**OTHER PUBLICATIONS**

“One Coater Supreme—The Brush That’s Better At Both Ends!”, EZ Paintr, 1996, 1 page.

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Lavone D. Tabor

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

412,479 A	10/1889	Davis
D30,616 S	4/1899	Bentzinger
D31,122 S	7/1899	Kelly
673,506 A	5/1901	Pitts
1,054,709 A	3/1913	Munro
1,687,335 A	10/1928	Jackline
1,826,165 A	10/1931	Cartwright
1,838,958 A	12/1931	Page
2,236,034 A	3/1941	Luce et al.
2,237,969 A	4/1941	Olsen
2,263,885 A	11/1941	McGauley
2,304,319 A	12/1942	Saltzman
2,426,315 A	8/1947	Marick
2,664,582 A	1/1954	Kammann
3,023,439 A	3/1962	Danley
3,067,446 A	12/1962	McGauley
3,153,801 A	10/1964	Weiss et al.
D211,446 S	6/1968	Hange
D216,247 S	12/1969	McGuire
D223,017 S	2/1972	Pharris
3,819,779 A	6/1974	Pharris et al.
4,495,669 A	1/1985	Hooper


(57) **CLAIM**

The ornamental design for a paint applicator, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a paint applicator of the present invention;  
FIG. 2 is an enlarged top plan view thereof, the bottom plan view being the mirror image thereof;  
FIG. 3 is an enlarged front elevational view thereof;  
FIG. 4 is an enlarged right end elevational view thereof; and,  
FIG. 5 is an enlarged left end elevational view thereof.  
The handle is shown broken away to indicate indeterminate length. The broken lines within the shaded areas represent the bounds of the claimed design and all other broken lines are for illustrative purposes only. None of the broken lines form part of the claimed design.

**1 Claim, 2 Drawing Sheets**



# US D470,316 S

Page 2


---

## U.S. PATENT DOCUMENTS


D333,217 S	2/1993	Gingras	5,692,265 A	12/1997	Dalury	
D347,327 S	5/1994	Ricciarelli et al.	5,761,759 A	6/1998	Leversby et al.	
5,339,482 A	8/1994	Desimone et al.	5,829,099 A	11/1998	Kopelman et al.	
5,390,572 A	2/1995	Gakhar et al.	5,850,663 A	12/1998	Hardy et al.	
5,446,941 A	9/1995	Kelsay	5,873,148 A	2/1999	Arnold	
5,465,449 A	11/1995	Lewkowicz	5,920,943 A	7/1999	Barker	
D367,963 S	3/1996	Mayer	D415,899 S	* 11/1999	Barton et al. ....	D4/138
5,615,445 A	4/1997	Kelsay et al.	D439,417 S	3/2001	Woodnorth et al.	

\* cited by examiner


**FIG. 1**



**FIG. 4**



**FIG. 5**






FIG. 2




FIG. 3