



US00D470451S

(12) **United States Design Patent**  
**Bushart et al.**

(10) **Patent No.:** **US D470,451 S**

(45) **Date of Patent:** **\*\* Feb. 18, 2003**

(54) **ROOF RACK**

(75) Inventors: **James S. Bushart**, Wentzville, MO (US); **Michael T. Ringwald**, Lake St. Louis, MO (US)

(73) Assignee: **J.P. Enterprises, Inc.**, O'Fallon, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/160,526**

(22) Filed: **May 13, 2002**

(51) **LOC (7) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/412**

(58) **Field of Search** ..... D12/406, 412-414.1; 296/3, 37.1, 100; 224/309-315, 323-329, 400, 321; 280/760-762, 848, 727, 769; D3/304-306; D6/552, 556

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D314,542 S	*	2/1991	Bott	.....	D12/412 X
D406,557 S	*	3/1999	Bentley	.....	D12/412
D413,562 S	*	9/1999	Van Dusen et al.	.....	D12/412
D422,553 S	*	4/2000	VonDuyke	.....	D12/412
D434,718 S	*	12/2000	Kreisler	.....	D12/412
D435,510 S	*	12/2000	Quidort	.....	D12/412
D454,329 S	*	3/2002	Buseman	.....	D12/412

**OTHER PUBLICATIONS**

*Welcome to Predator Motor Sports, "Hummer Accessories,"* 16 pgs, refer particularly to p. 5 Aug. 7, 2002.

*Rod Hall International, Inc., "Hummer Accessories & RHI Custom Products,"* 14 pgs, refer particularly to p. 11 Aug. 7, 2002.

\* cited by examiner

*Primary Examiner*—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Senniger, Powers, Leavitt & Roedel

(57) **CLAIM**

The ornamental design for a roof rack, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective of a roof rack of a first embodiment of the present invention;

FIG. 2 is a top plan of the roof rack of the first embodiment;

FIG. 3 is a bottom plan of the roof rack of the first embodiment;

FIG. 4 is a front elevation of the roof rack of the first embodiment;

FIG. 5 is a rear elevation of the roof rack of the first embodiment;

FIG. 6 is a left side elevation of the roof rack of the first embodiment;

FIG. 7 is a right side elevation of the roof rack of the first embodiment;

FIG. 8 is a perspective of a roof rack of a second embodiment of the present invention;

FIG. 9 is a top plan of the roof rack of the second embodiment;

FIG. 10 is a bottom plan of the roof rack of the second embodiment;


FIG. 11 is a rear elevation of the roof rack of the second embodiment;

FIG. 12 is a front elevation of the roof rack of the second embodiment;

FIG. 13 is a right side elevation of the roof rack of the second embodiment; and,

FIG. 14 is a left side elevation of the roof rack of the second embodiment.

**1 Claim, 10 Drawing Sheets**






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8




FIG. 9






FIG. 10

FIG. 11




FIG. 12




FIG. 13




FIG. 14

