



US00D470464S

(12) **United States Design Patent**
Loiske et al.

(10) **Patent No.:** **US D470,464 S**

(45) **Date of Patent:** **** Feb. 18, 2003**

(54) **SET-TOP-BOX**

D414,763 S * 10/1999 Iftikar D14/125
D462,063 S * 8/2002 Bohne D14/125

(75) Inventors: **Janne Loiske**, Turku (FI); **Jorma Pitkonen**, Turku (FI); **Michael Corander**, Motala (SE)

* cited by examiner

(73) Assignee: **Nokia Corporation**, Espoo (FI)

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Darby & Darby

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/154,585**

The ornamental design for a set-top-box, as shown and described.

(22) Filed: **Jan. 25, 2002**

(30) **Foreign Application Priority Data**

DESCRIPTION

Jul. 27, 2001 (FI) M20010442

FIG. 1 is a perspective view of a set-top-box as viewed from the front, showing my new design;

(51) **LOC (7) Cl.** **14-03**

FIG. 2 is a front elevational view thereof;

(52) **U.S. Cl.** **D14/125**

FIG. 3 is a right side elevational view thereof;

(58) **Field of Search** D14/357, 358,
D14/125, 496, 188, 239, 242, 432; 348/10,
460, 706, 731; 340/825.03; 455/6.1, 6.2;
312/223.1

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,


FIG. 7 is a rear elevational view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D380,199 S * 6/1997 Beruscha et al. D14/239

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 470,464 S
DATED : February 18, 2003
INVENTOR(S) : Janne Loiske et al.

Page 1 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page should be deleted to appear as per attached title page.

The sheets of drawings consisting of figures 1-7 should be deleted to appear as per attached figs. 1-7.

Signed and Sealed this

Ninth Day of December, 2003

A handwritten signature in black ink, appearing to read "James E. Rogan", with a horizontal line drawn underneath it.

JAMES E. ROGAN
Director of the United States Patent and Trademark Office

(12) **United States Design Patent**
Loiske et al.

(10) **Patent No.:** **US D470,464 S**
(45) **Date of Patent:** **** Feb. 18, 2003**

(54) **SET-TOP-BOX**

D414,763 S * 10/1999 Iftikar D14/125
D462,063 S * 8/2002 Bohne D14/125

(75) **Inventors:** **Janne Loiske, Turku (FI); Jorma Pitkonen, Turku (FI); Michael Corander, Motala (SE)**

* cited by examiner

(73) **Assignee:** **Nokia Corporation, Espoo (FI)**

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Darby & Darby

(**) **Term:** **14 Years**

(57) **CLAIM**

(21) **Appl. No.:** **29/154,585**

The ornamental design for a set-top-box, as shown and described.

(22) **Filed:** **Jan. 25, 2002**

(30) **Foreign Application Priority Data**

Jul. 27, 2001 (FI) M20010442

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/125**

(58) **Field of Search** D14/357, 358,
D14/125, 496, 188, 239, 242, 432; 348/10,
460, 706, 731; 340/825.03; 455/6.1, 6.2;
312/223.1

DESCRIPTION

FIG. 1 is a perspective view of a set-top-box as viewed from the front, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,


FIG. 7 is a rear elevational view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D380,199 S * 6/1997 Beruscha et al. D14/239

1 Claim, 4 Drawing Sheets






Fig. 1

U.S. Patent

Feb. 18, 2003

Sheet 2 of 6

Des 470,464 S




Fig. 2




Fig. 3

U.S. Patent

Feb. 18, 2003

Sheet 3 of 6

Des 470,464 S




Fig. 4




Fig. 5




Fig. 6

U.S. Patent

Feb. 18, 2003

Sheet 6 of 6

Des 470,464 S




Fig. 7