



US00D470570S

(12) **United States Design Patent** (10) **Patent No.:** **US D470,570 S**
Wass (45) **Date of Patent:** **** Feb. 18, 2003**

(54) **TOPPING VALVE** 6,036,169 A * 3/2000 Wass 251/82

(76) Inventor: **Lloyd G. Wass**, 1670 Blackhawk Cove,
Eagan, MN (US) 55122

(**) Term: **14 Years**

(21) Appl. No.: **29/151,289**

(22) Filed: **Dec. 4, 2001**

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/233**

(58) **Field of Search** D23/233, 247,
D23/249; 137/1, 223

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,772,692 A	*	12/1956	Russell	137/223
2,824,570 A	*	2/1958	Silverman et al.	137/223
2,942,614 A	*	6/1960	Lardner	137/223
3,995,653 A	*	12/1976	Mackal et al.	137/234
4,015,622 A	*	4/1977	Pagani	137/223
4,579,141 A	*	4/1986	Arff	137/223
5,203,831 A	*	4/1993	Lind et al.	137/1
5,941,272 A	*	8/1999	Feldman	137/223

* cited by examiner

Primary Examiner—Nelson C. Holtje

(74) *Attorney, Agent, or Firm*—John M. Vasuta

(57) **CLAIM**

The ornamental design for a topping valve, as shown and described herein.

DESCRIPTION

FIG. 1 is a back elevational view of the topping valve showing our new design;


FIG. 2 is side perspective view thereof (and since all the sides would like identical, no other sides are views are provided);

FIG. 3 is a front elevational view thereof; and,

FIG. 4 is an exploded view thereof.

It being understood that the inflation device the topping valve would generally be seated within in its environment is shown in broken line merely to indicate its environment and orientation thereto whereby these broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 3




FIG. 2




FIG. 1




FIG. 4