



US00D470733S

(12) **United States Design Patent**
Schmitt, Jr.

(10) **Patent No.:** **US D470,733 S**

(45) **Date of Patent:** **** Feb. 25, 2003**

(54) **NESTED BIT CLEAT WRENCH**

(75) **Inventor:** **Wayne I. Schmitt, Jr., Dudley, MA (US)**

(73) **Assignee:** **MacNeill Engineering Company, Inc., Marlborough, MA (US)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/137,535**

(22) **Filed:** **Feb. 23, 2001**

(51) **LOC (7) Cl. 08-05**

(52) **U.S. Cl. D8/21; D8/105; D8/26**

(58) **Field of Search D8/17, 21-29, D8/105; 81/437, 439, 460, 176.1, 176.15, 177.4, 490**

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,672,419 A * 6/1972 Fischer 81/460
4,926,721 A * 5/1990 Hsiao 81/177.4

D409,463 S * 5/1999 McMullin D8/21
D422,145 S * 4/2000 Hsu D8/21
6,044,732 A * 4/2000 Astle 81/176.15
6,279,434 B1 * 8/2001 Brown 81/437

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Bromberg & Sunstein LLP

(57) **CLAIM**

The ornamental design for a nested bit cleat wrench, as shown and described.

DESCRIPTION

FIG. 1 is an elevated perspective view of a nested bit cleat wrench according to one embodiment of the present invention.


FIG. 2 is a side view of the wrench in FIG. 1.

FIG. 3 is a top view of the wrench in FIG. 1.

FIG. 4 is a front view of the wrench in FIG. 1; and,

FIG. 5 is a back view of the wrench in FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5