



US00D470772S

(12) **United States Design Patent**
Egger

(10) **Patent No.:** **US D470,772 S**

(45) **Date of Patent:** **** Feb. 25, 2003**

(54) **BOTTLE**

(75) **Inventor:** **Jean-Christophe Egger,**
Villars-sur-Glâne (CH)

(73) **Assignee:** **Novartis Nutrition AG,** Bern (CH)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/146,017**

(22) **Filed:** **Aug. 2, 2001**

(30) **Foreign Application Priority Data**

Mar. 12, 2001 (CH) 127788

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/537; D9/540; D9/551;**
D9/557

(58) **Field of Search** D9/500, 502, 503,
D9/504, 516, 530, 537, 538, 540, 541,
543, 545, 546, 549, 551, 554, 557, 564,
567, 570, 575, 434, 440, 449, 453, 454;
215/381-385, 396, 398, 6, 10, 252, 253;
220/266

(56) **References Cited**

U.S. PATENT DOCUMENTS

D92,533	S	*	6/1934	Graham	D9/564
2,236,031	A	*	3/1941	Hall	222/542
4,305,516	A	*	12/1981	Perne et al.	215/252
4,519,513	A	*	5/1985	Weiler et al.	215/48
D286,027	S	*	10/1986	Waher et al.	D9/435
4,907,709	A	*	3/1990	Abe et al.	215/252
D311,249	S	*	10/1990	Kasai	D24/121
4,989,738	A	*	2/1991	Thayer et al.	215/373
5,261,543	A	*	11/1993	Ugarelli	215/375
D351,348	S	*	10/1994	Marriage	D9/551
5,381,910	A	*	1/1995	Sugiura	220/669
D397,941	S	*	9/1998	Lauth	D9/502
5,906,286	A	*	5/1999	Matsuno et al.	215/375
D414,113	S	*	9/1999	Thatcher	D9/520
D418,748	S	*	1/2000	Kuzma et al.	D9/310
D422,506	S	*	4/2000	Cummings	D9/542
D425,796	S	*	5/2000	Duranthon	D9/540
D437,744	S	*	2/2001	Young et al.	D7/679
6,241,705	B1	*	6/2001	Ko-Wen	604/73
6,338,414	B1	*	1/2002	Schellenbach	215/252

OTHER PUBLICATIONS

US 2001/0054597 A1 PGPUB, Ozawa et al. "Bottle for Hot Filling Use, Equipped with . . .", Dec. 27, 2001.*

US 2001/0027978 A1 PGPUB, Finlay et al., "Container With Structural Ribs", Oct. 11, 2001.*

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—John W. Kung

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a left side perspective view of a first embodiment of a bottle showing my new design;

FIG. 2 is a top plan view of FIG. 1, shown at an enlarged scale;

FIG. 3 is a right side perspective view of FIG. 1, shown at the same scale as FIG. 1;

FIG. 4 is a left side elevational view of FIG. 1;

FIG. 5 is a front elevational view of FIG. 1;

FIG. 6 is a right side elevational view of FIG. 1;

FIG. 7 is a left side perspective view of a second embodiment of the bottle of FIG. 1;

FIG. 8 is a top plan view of FIG. 7, shown at an enlarged scale;

FIG. 9 is a right side perspective view of FIG. 7, shown at the same scale as FIG. 7;

FIG. 10 is a left side elevational view of FIG. 7;

FIG. 11 is a front elevational view of FIG. 7;

FIG. 12 is a right side elevational view of FIG. 7;

FIG. 13 is a left side perspective view of a third embodiment of the bottle of FIG. 1;

FIG. 14 is a top plan view of FIG. 13, shown at an enlarged scale;


FIG. 15 is a right side perspective view of FIG. 13, shown at the same scale as FIG. 13;

FIG. 16 is a left side elevational view of FIG. 13;

FIG. 17 is a front elevational view of FIG. 13; and,

FIG. 18 is a right side elevational view of FIG. 13.

1 Claim, 15 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18