



US00D470786S

(12) **United States Design Patent**
Mizukami et al.

(10) **Patent No.:** **US D470,786 S**

(45) **Date of Patent:** **** Feb. 25, 2003**

(54) **FIRE RECEIVER**

6,380,846 B1 * 4/2002 Hohlfelder 340/287 X

(75) Inventors: **Akira Mizukami**, Tokyo (JP); **Tsutomu Yamaura**, Tokyo (JP)

* cited by examiner

(73) Assignee: **Nohmi Bosai Ltd.**, Tokyo (JP)

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack, L.L.P.

(**) Term: **14 Years**

(21) Appl. No.: **29/156,571**

(22) Filed: **Mar. 5, 2002**

(30) **Foreign Application Priority Data**

Sep. 5, 2001 (JP) 2001-026088

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/104**

(58) **Field of Search** D10/46, 103, 123,
D10/125, 104; 340/287-309, 584, 587

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,100,789 A * 8/2000 Mizukami 340/287

(57) **CLAIM**

The ornamental design for fire receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a fire receiver, showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

