



US00D471090S

(12) **United States Design Patent**
Jones

(10) **Patent No.:** **US D471,090 S**

(45) **Date of Patent:** **** Mar. 4, 2003**

(54) **FLEXIBLE POUCH**

(75) Inventor: **Robert C. Jones**, Elk River, MN (US)

(73) Assignee: **SoftPac Industries, Inc.**, Minneapolis, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/155,297**

(22) Filed: **Feb. 8, 2002**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/148,716, filed on Sep. 26, 2001.

(51) **LOC (7) Cl.** **09-05**

(52) **U.S. Cl.** **D9/305**

(58) **Field of Search** D9/305, 306; 383/200, 383/904, 905, 906, 907, 100, 33, 113; 206/484, 632, 822; 222/105, 107, 92, 94; 428/35.4

(56) **References Cited**

U.S. PATENT DOCUMENTS

D173,718 S	12/1954	Cargill et al.	
D195,313 S	5/1963	Setecka	
D206,827 S	1/1967	Arcudi et al.	
D208,272 S	8/1967	Corella et al.	
D285,412 S	9/1986	Harwell, Jr.	
D299,751 S	2/1989	Hsei	
D301,546 S	6/1989	McCallister	
D306,555 S	3/1990	Lane et al.	
D318,611 S	* 7/1991	Sherman D9/305
D318,795 S	8/1991	Christine	
D319,176 S	8/1991	Sherman	
D338,399 S	8/1993	Conte, Jr.	
D354,906 S	1/1995	Lane, Jr. et al.	
D362,618 S	9/1995	Paling et al.	
D386,398 S	11/1997	Davis	
D392,559 S	3/1998	Smith et al.	
D397,608 S	9/1998	Fiore	
5,806,983 A	* 9/1998	Millon et al. 383/113
D410,838 S	6/1999	Berman	

D412,665 S	8/1999	Smith et al.
D419,435 S	1/2000	Bonfigli
D420,900 S	1/2000	Berman
D425,409 S	5/2000	Gilliam
D425,410 S	5/2000	Berman
D429,459 S	8/2000	Berman
D430,794 S	9/2000	Parent-Inch
D433,625 S	11/2000	Berman
D434,976 S	12/2000	Berman
D436,847 S	1/2001	Berman
D436,848 S	1/2001	Berman
D436,868 S	1/2001	Berman
D437,549 S	2/2001	Berman
D440,868 S	4/2001	Berman
D451,793 S	12/2001	Berman

* cited by examiner

Primary Examiner—Paula A. Mortimer
(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(57) **CLAIM**

The ornamental design for the flexible pouch, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the front of one embodiment of the edging of the present invention;
 FIG. 2 is plan view of the top of the embodiment depicted in FIG. 1;
 FIG. 3 is an elevational view of the front of the embodiment depicted in FIG. 1;
 FIG. 4 is an elevational view of the left of the embodiment depicted in FIG. 1;
 FIG. 5 is an elevational view of the right of the embodiment depicted in FIG. 1;
 FIG. 6 is an elevational view of the rear of the embodiment depicted in FIG. 1; and,
 FIG. 7 is a plan view of the bottom of the embodiment depicted in FIG. 1.

The structure shown in broken lines in the Figures is not part of the design sought to be patented, but instead shows the environment of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7