



US00D471202S

(12) **United States Design Patent**  
**Shimamura**

(10) **Patent No.:** **US D471,202 S**

(45) **Date of Patent:** **\*\* Mar. 4, 2003**

(54) **FACSIMILE TRANSMITTER-RECEIVER**

D434,776 S \* 12/2000 Takeuchi ..... D14/469  
D442,989 S \* 5/2001 Leong et al. .... D14/469

(75) Inventor: **Junichiro Shimamura**, Funabashi (JP)

\* cited by examiner

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

*Primary Examiner*—Prabhakar Deshmukh

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(21) Appl. No.: **29/161,447**

(57) **CLAIM**

(22) Filed: **May 31, 2002**

The ornamental design for a facsimile transmitter-receiver, as shown and described.

(30) **Foreign Application Priority Data**

Dec. 5, 2001 (JP) ..... 2001-035910

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **16-03**

FIG. 1 is a front view of a facsimile transmitter-receiver showing my new design;

(52) **U.S. Cl.** ..... **D14/469**

FIG. 2 is a rear view thereof;

(58) **Field of Search** ..... D14/462-471;  
D18/36, 37; 358/400, 401, 501-506

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.


The part indicated by diagonal shading is a transparent cover.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

5,172,243 A \* 12/1992 Hayashi et al. .... 358/400  
D370,905 S \* 6/1996 Ishio ..... D14/469  
5,986,776 A \* 11/1999 Park ..... 358/400  
D420,998 S \* 2/2000 Leong et al. .... D14/469


**1 Claim, 6 Drawing Sheets**




*FIG. 1*



*FIG. 2*



*FIG. 3*



*FIG. 4*




FIG. 5





FIG. 6



*FIG. 7*

