



US00D471279S

(12) **United States Design Patent**
Locke et al.

(10) **Patent No.:** **US D471,279 S**
(45) **Date of Patent:** **** Mar. 4, 2003**

(54) **PORTABLE EXTERNAL DEFIBRILLATOR**

(75) Inventors: **Kelly Locke**, Woodinville, WA (US);
Shawn R. Bertagnole, Lake Stevens,
WA (US); **Richard J. Cardin**, Duvall,
WA (US)

(73) Assignee: **Medtronic Physio-Control
Manufacturing Corp.**, Redmond, WA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/155,049**

(22) Filed: **Feb. 1, 2002**

(51) **LOC (7) Cl.** **24-01**

(52) **U.S. Cl.** **D24/167**

(58) **Field of Search** D24/167; 607/5,
607/6, 7, 8

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,610,254 A	9/1986	Morgan et al.	
D357,318 S	4/1995	Hill et al.	
D372,977 S	8/1996	Bishay	
D373,193 S	8/1996	Luther	
D392,739 S	3/1998	Bertagnole et al.	
D394,903 S *	6/1998	Barkley et al.	D24/167
D402,758 S	12/1998	Barkley et al.	
6,088,617 A *	7/2000	Arand et al.	607/5
D442,692 S *	5/2001	Salvatori et al.	D24/167
D447,241 S *	8/2001	Deck	D24/167
D455,492 S *	4/2002	Daynes et al.	D24/167

OTHER PUBLICATIONS

“AccessALS, Access CardioSystems, Making Universal Access to Defibrillation a Reality,” *Product Sheet*, Access CardioSystems, as early as 2001, <<http://www.accesscardio-systems.com>> [retrieved May 2, 2002].

* cited by examiner

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Christensen O’Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a portable external defibrillator, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the portable external defibrillator having a top lid in a closed position;
 FIG. 2 is a top view of the portable external defibrillator of FIG. 1;
 FIG. 3 is a bottom view of the portable external defibrillator of FIG. 1;
 FIG. 4 is a front elevational view of the portable external defibrillator of FIG. 1;
 FIG. 5 is a rear elevational view of the portable external defibrillator of FIG. 1;
 FIG. 6 is a side elevational view of the portable external defibrillator of FIG. 1;
 FIG. 7 is a side elevation view of the portable external defibrillator of FIG. 1 take from the opposite side of FIG. 6;
 FIG. 8 is a top perspective view of a semi-automatic embodiment of the portable external defibrillator having a shock button, wherein a top lid of the defibrillator is in an open position;
 FIG. 9 is a top perspective view of the fully-automatic embodiment of the portable external defibrillator without a shock button, wherein a top lid of the defibrillator is in an open position;
 FIG. 10 is a top view of the portable external defibrillator of FIG. 8;
 FIG. 11 is a top view of the portable external defibrillator of FIG. 9;
 FIG. 12 is a bottom view of the portable external defibrillator of FIGS. 8 and 9;
 FIG. 13 is a front elevational view of the portable external defibrillator of FIGS. 8 and 9;
 FIG. 14 is a rear elevational view of the portable external defibrillator of FIGS. 8 and 9;
 FIG. 15 is a side elevational view of the portable external defibrillator of FIGS. 8 and 9; and,
 FIG. 16 is a side elevational view of the portable external defibrillator of FIGS. 8 and 9 taken from the opposite side of FIG. 15.

1 Claim, 14 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig.12.




Fig. 13.




Fig. 14.




Fig. 15.



Fig. 16.