



US00D471540S

(12) **United States Design Patent**
Tomino et al.

(10) **Patent No.:** **US D471,540 S**

(45) **Date of Patent:** **** Mar. 11, 2003**

(54) **WIRELESS COMMUNICATION APPARATUS**

(75) Inventors: **Hiroyuki Tomino**, Tokyo (JP); **Akihiro Narita**, Tokyo (JP)

(73) Assignee: **Allied Telesis Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/138,801**

(22) Filed: **Mar. 21, 2001**

(30) **Foreign Application Priority Data**

Nov. 27, 2000 (JP) 2000-033722

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/240; D14/358**

(58) **Field of Search** D14/137, 240, D14/138, 242, 308, 356, 357, 358, 149, 126, 311, 313, 441, 235, 144, 348-355, 370, 217, 341-347, 125, 432, 433, 155, 299, 257, 439, 140, 188, 230, 241, 243, 245; 379/433.01-433.13, 419, 434, 428.01-428.04, 420.01-420.04, 440, 441, 442; 455/550-575; D13/184, 123, 152, 147, 110, 164; 200/296, 293

(56) **References Cited**

U.S. PATENT DOCUMENTS

D323,826 S * 2/1992 Suzuki et al. D14/137

D351,147 S * 10/1994 Hill D14/351

D377,339 S * 1/1997 Beruscha et al. D13/184

D377,652 S * 1/1997 Sarkiniemi D14/240

D387,347 S * 12/1997 McGugan D14/149

D392,644 S * 3/1998 McGugan D14/240

D404,709 S * 1/1999 Oba D13/147

D409,199 S * 5/1999 Taguchi et al. D14/217

D414,178 S * 9/1999 Loubert et al. D14/137

D422,999 S * 4/2000 Overton et al. D14/137

D424,554 S * 5/2000 Overton et al. D14/137

D429,743 S * 8/2000 Renkis D16/203

D432,125 S * 10/2000 Masuda et al. D14/349

D433,642 S * 11/2000 Bauman D10/104

D437,311 S * 2/2001 Nam D14/227

D442,925 S * 5/2001 Backs et al. D14/126

D449,600 S * 10/2001 Gallahan et al. D14/299

D453,331 S * 2/2002 Probasco et al. D14/240

D455,419 S * 4/2002 Inoue D14/235

OTHER PUBLICATIONS

DNwireless, AP11 Access Point, received at FOSE show, Mar. 19, 2002.*

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—McGinn & Gibb, PLLC

(57) **CLAIM**

The ornamental design for a wireless communication apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a wireless communication apparatus including a body and a stand according to the present invention;

FIG. 2 is a rear view of the wireless communication apparatus;

FIG. 3 is a right side view of the wireless communication apparatus, the left side being a mirror image thereof;

FIG. 4 is a plan view of the wireless communication apparatus;

FIG. 5 is a bottom view of the wireless communication apparatus; and,

FIG. 6 is a perspective view of the wireless communication apparatus.

The broken lines shown throughout the views are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6

