



US00D471653S

(12) **United States Design Patent**
Lin et al.

(10) **Patent No.:** **US D471,653 S**

(45) **Date of Patent:** **** Mar. 11, 2003**

(54) **ENERGY SAVING LIGHT**

D447,580 S * 9/2001 Kim D26/3
D448,502 S * 9/2001 Choi D26/3

(76) Inventors: **Weixiong Lin**, No. 9, Huan'an Road,
Ronggui Canton, Shunde City,
Guangdong Province (CN); **Jianxiong Peng**, No. 9, Huan'an Road, Ronggui
Canton, Shunde City, Guangdong
Province (CN)

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Intellectual Property Law
Group LLP; Otto O. Lee; Juneko C. Jackson

(**) Term: **14 Years**

(57) **CLAIM**

I claim the ornamental design for an energy saving light, as
shown and described.

(21) Appl. No.: **29/150,589**

(22) Filed: **Nov. 23, 2001**

DESCRIPTION

(51) **LOC (7) Cl.** **26-06**
(52) **U.S. Cl.** **D26/3**
(58) **Field of Search** D26/1, 2, 3, 4;
313/318, 493; 315/53, 56, 57, 58; 362/318,
493


FIG. 1 is the bottom plan view of an energy saving light
embodying my new design of the present invention;
FIG. 2 is a front elevational view thereof, whereby a color
ring in rubber is mounted outside surface A;
FIG. 3 is a right elevational view thereof, whereby a color
ring in rubber is mounted outside surface A; and,
FIG. 4 is a top plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D437,946 S * 2/2001 Choi D26/3

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4