



US00D471653S

(12) **United States Design Patent**  
**Lin et al.**

(10) **Patent No.:** **US D471,653 S**

(45) **Date of Patent:** **\*\* Mar. 11, 2003**

(54) **ENERGY SAVING LIGHT**

D447,580 S \* 9/2001 Kim ..... D26/3  
D448,502 S \* 9/2001 Choi ..... D26/3

(76) Inventors: **Weixiong Lin**, No. 9, Huan'an Road,  
Ronggui Canton, Shunde City,  
Guangdong Province (CN); **Jianxiong Peng**, No. 9, Huan'an Road, Ronggui  
Canton, Shunde City, Guangdong  
Province (CN)

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Intellectual Property Law  
Group LLP; Otto O. Lee; Juneko C. Jackson

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/150,589**

I claim the ornamental design for an energy saving light, as  
shown and described.

(22) Filed: **Nov. 23, 2001**

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/3**

(58) **Field of Search** ..... D26/1, 2, 3, 4;  
313/318, 493; 315/53, 56, 57, 58; 362/318,  
493

FIG. 1 is the bottom plan view of an energy saving light  
embodying my new design of the present invention;

FIG. 2 is a front elevational view thereof, whereby a color  
ring in rubber is mounted outside surface A;

FIG. 3 is a right elevational view thereof, whereby a color  
ring in rubber is mounted outside surface A; and,


FIG. 4 is a top plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D437,946 S \* 2/2001 Choi ..... D26/3

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4