

US00D471797S

(12) United States Design Patent (10) Patent No.:

Guerrera et al.

(54)

(45) Patent No.: (45) Date of Patent:

US D471,797 S

** Mar. 18, 2003

DISPENSER ASSEMBLY, TUBE, CAP AND PLUNGER

(75) Inventors: **Angelo Guerrera**, Pymble (AU); **Robert Gale**, Greystanes (AU)

(73) Assignee: Selleys PTY Limited, Padstow (AU)

(**) Term: 14 Years

(21) Appl. No.: 29/145,350

(22) Filed: Jul. 19, 2001

Jan. 19, 2001

(30) Foreign Application Priority Data

(51)	LOC (7) Cl	
(52)	U.S. Cl	D9/306
(58)	Field of Search	D9/306; D8/14,
, ,	D8/14.1; 222/86,	82, 105, 174, 325, 327,

391, 389, 486

(56) References Cited

U.S. PATENT DOCUMENTS

3,042,268	A	*	7/1962	Pyles 222/327
3,392,883	A	*	7/1968	Roberts
3,504,826	A	*	4/1970	Carlton
4,840,293	A		6/1989	Segatz
5,443,181	A		8/1995	Popp et al.
6,435,373	B 1	*	8/2002	Mizrahi 222/105

FOREIGN PATENT DOCUMENTS

AU 655860 3/1994 B05C/17/005

Primary Examiner—Paula A. Mortimer

(74) Attorney, Agent, or Firm—Greenlee Winner and Sullivan PC

(57) CLAIM


The ornamental design for a dispenser assembly, tube, cap and plunger, as shown and described.

DESCRIPTION

- FIG. 1 is an exploded view (exterior) of the side of the tube, with the plunger outside the tube and the tip (nozzle) and the cap, to which the tip attaches via threads, removed;
- FIG. 2 provides an end (internal view) of the cap looking toward the outlet through product is dispensed;
- FIG. 3 provides an external front view of the cap, from which the nozzle has been removed;
- FIG. 4 provides a plan (side) view of the vertical surface of the exterior of the plunger showing the ribbing (radial spokes which couple with the ribbed surface on the interior of the dispenser tube);
- FIG. 5 shows the ribbing on the interior of the plunger;
- FIG. 6 provides a plan, front view of the plunger, in this figure internal ribs are not shown for the plunger;
- FIG. 7 shows a front view of the plunger, in this figure, internal ribs are not shown for the plunger;
- FIG. 8 is a side elevational view of the dispenser tube; and, FIG. 9 is an end elevational view theref.


The design consists of the features of shape, ornament, pattern and configuration of the dispenser assembly, tube, cap and plunger as shown in the accompanying drawings, and each discernable feature of shape, pattern, ornamentation or configuration shown in the accompanying representations separately or in any combination of two or more such features, including each such feature or combination as applied to the article described or any other article.


1 Claim, 5 Drawing Sheets



^{*} cited by examiner







Mar. 18, 2003

FIG. 2





FIG. 3





Mar. 18, 2003

FIG. 4






FIG. 5





Mar. 18, 2003

FIG. 6






FIG. 7



五 の 。 の



(U)