



US00D471822S

(12) **United States Design Patent**  
**Goeckeritz**

(10) **Patent No.:** **US D471,822 S**

(45) **Date of Patent:** **\*\* Mar. 18, 2003**

(54) **SURFACE CONFIGURATION OF A WRISTWATCH**

**FOREIGN PATENT DOCUMENTS**

CH 319645 \* 2/1957 ..... 368/233

(75) Inventor: **Olaf Goeckeritz**, Stuttgart (DE)

**OTHER PUBLICATIONS**

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

Jeweler's Circular Keystone—Aug. 1972—p. 148—watch at bottom-left.\*

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/161,310**

*Primary Examiner*—Nelson C. Holtje

(22) Filed: **May 29, 2002**

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Jan. 18, 2002 (DE) ..... 4 02 00 438

The ornamental design for a surface configuration of a wristwatch, as shown and described.

(51) **LOC (7) Cl.** ..... **10-02**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D10/32**

(58) **Field of Search** ..... D10/30-39; 368/280-282,  
368/276-277, 285

FIG. 1 is a front view of a surface configuration of a wristwatch according to my novel design;

FIG. 2 is a right side view of a surface configuration of the wristwatch according to my novel design; and,

FIG. 3 is a perspective view of a surface configuration of the wristwatch according to my novel design.


The dash lines included depict environment and are not part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,900,343 A \* 3/1933 Howard ..... 368/281
- D352,471 S \* 11/1994 Besson ..... D10/39
- D401,514 S \* 11/1998 Coquerel ..... D10/39
- D417,628 S \* 12/1999 Bunz ..... D10/39

**1 Claim, 2 Drawing Sheets**






FIG. 2

FIG. 1




FIG. 3