



US00D471826S

(12) **United States Design Patent**
Rosenstein

(10) **Patent No.:** **US D471,826 S**

(45) **Date of Patent:** **** Mar. 18, 2003**

(54) **INCH-METRIC SCREW THREAD GAUGE**

(76) **Inventor:** **Perry Rosenstein**, 12 Sinclair Ct.,
Teaneck, NJ (US) 07666

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/157,322**

(22) **Filed:** **Mar. 15, 2002**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/64**

(58) **Field of Search** D10/64; 33/555.1,
33/555.2, 562, 563

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,728,145	A	*	12/1955	Holladay	33/555.2
3,858,325	A	*	1/1975	Goerier	33/555.2
D249,655	S	*	9/1978	Gullaksen et al.	D10/64
D366,843	S		2/1996	Rosenstein		
5,501,020	A	*	3/1996	Welt	33/555.2

* cited by examiner

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Lerner, David, Littenberg
Krumholz & Mentlik, LLP

(57) **CLAIM**

The ornamental design for a inch-metric screw thread gauge,
as shown and described.

DESCRIPTION

FIG. 1 is a top plan view showing my new design;
FIG. 2 is a front elevational view, the rear elevational view
being identical thereto;
FIG. 3 is a cross-sectional view taken along line 3—3 in
FIG. 1;
FIG. 4 is a left side elevational view, the right side elevational
view being identical thereto; and,
FIG. 5 is a bottom plan view.

1 Claim, 2 Drawing Sheets

SIZE	UNC TPI	UNF TPI	METRIC (P)	SIZE
1/2 (0.500)	13	20	3.0	M24 (0.945)
9/16 (0.562)	12	18	2.5	M22 (0.866)
5/8 (0.625)	11	18	2.5	M20 (0.787)
3/4 (0.750)	10	16	2.5	M18 (0.709)
7/8 (0.875)	9	14	2.0	M16 (0.630)
1 (1.000)	8	14	2.0	M14 (0.551)

FIG. 2



FIG. 1

SIZE	UNC TPI	UNF TPI	METRIC (P)	SIZE
1/2 (0.500)	13	20	3.0	M24 (0.945)
9/16 (0.562)	12	18	2.5	M22 (0.866)
5/8 (0.625)	11	18	2.5	M20 (0.787)
3/4 (0.750)	10	16	2.5	M18 (0.709)
7/8 (0.875)	9	14	2.0	M16 (0.630)
1 (1.000)	8	14	2.0	M14 (0.551)

FIG. 3



FIG. 4



FIG. 5

