



US00D471863S

(12) **United States Design Patent**  
**Katsumoto et al.**

(10) **Patent No.:** **US D471,863 S**

(45) **Date of Patent:** **\*\* Mar. 18, 2003**

(54) **BATTERY**

(75) Inventors: **Masumi Katsumoto**, Kanagawa (JP);  
**Masaharu Miyahisa**, Kanagawa (JP);  
**Masahiko Kato**, Kanagawa (JP);  
**Yoshihiro Boki**, Kanagawa (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/157,036**

(22) Filed: **Mar. 12, 2002**

(30) **Foreign Application Priority Data**

Sep. 12, 2001 (JP) ..... 2001-026765  
Sep. 12, 2001 (JP) ..... 2001-026773

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/103**

(58) **Field of Search** ..... D13/103; 429/96-100,  
429/159, 163, 176, 133, 161, 164-170,  
175, 178, 181, 208, 209

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

334,027 A \* 1/1886 Meeker ..... 429/176  
D292,913 S \* 11/1987 Shaper ..... D13/103  
4,861,685 A \* 8/1989 Tien et al. .... 429/7  
5,418,087 A \* 5/1995 Klein ..... 429/164 X  
5,677,080 A \* 10/1997 Chen ..... 429/167  
5,691,073 A \* 11/1997 Vu et al. .... 429/170 X  
5,800,945 A \* 9/1998 Grivel et al. .... 429/176  
5,874,181 A \* 2/1999 Tam ..... 429/99 X

D413,858 S \* 9/1999 Murakami et al. .... D13/103  
6,248,472 B1 \* 6/2001 Kelemen ..... 429/163  
D455,711 S \* 4/2002 Fuhr et al. .... D13/103

**FOREIGN PATENT DOCUMENTS**

JP 850073 10/1992  
JP 850073 2/1995

\* cited by examiner

*Primary Examiner*—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a battery, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of the top, front and right side of a battery showing our new design;  
FIG. 2 is a front view thereof, a rear view is being identical thereto;  
FIG. 3 is a right side view thereof, a left side view is being identical thereto;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a perspective view of the top, front and right side of a battery showing our new design of second embodiment;  
FIG. 7 is a front view thereof, a rear view is being identical thereto;  
FIG. 8 is a right side view thereof, a left side view is being identical thereto;  
FIG. 9 is a top plan view thereof; and,  
FIG. 10 is a bottom view thereof.


**1 Claim, 2 Drawing Sheets**




*FIG. 1*




*FIG. 2*




*FIG. 4*




*FIG. 5*




*FIG. 3*




*FIG. 6*




*FIG. 7*



*FIG. 9*



*FIG. 8*



*FIG. 10*

