



US00D471964S

(12) **United States Design Patent**
Bates et al.

(10) **Patent No.:** **US D471,964 S**

(45) **Date of Patent:** **** Mar. 18, 2003**

(54) **HANDLE**

(75) Inventors: **Michael R. Bates**, Sheboygan, WI (US); **Raul M. Paredes**, Kohler, WI (US)

(73) Assignee: **Kohler Co.**, Kohler, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/154,796**

(22) Filed: **Jan. 29, 2002**

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/252**

(58) **Field of Search** D23/238-257;
D8/300-308; 4/675-678; 137/801; 16/110.2-121

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|-----------|---------------|-------|---------|
| D332,824 S | 1/1993 | Robbins | | D23/252 |
| D348,509 S | 7/1994 | Bollenbacher | | D6/550 |
| D357,525 S | * 4/1995 | Fabian | | D23/252 |
| D391,351 S | * 2/1998 | Ko | | D23/250 |
| D402,005 S | * 12/1998 | Ko | | D23/252 |
| D404,470 S | 1/1999 | Pitsch et al. | | D23/252 |
| D458,349 S | * 6/2002 | Mullenmeister | | D23/254 |

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

In a preferred embodiment, the nature of this product is as a plumbing handle which is primarily useful for controlling a rotatable valve stem.

FIG. 1 is a left, top, front perspective view of a handle embodying our new design;

FIG. 2 is a front elevational view thereof, the rear elevational view being a mirror image of the front elevational view shown;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The broken line representation of a mounting structure in FIG. 6 is for the purpose of illustration only, and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6