



US00D472009S

(12)

**United States Design Patent**  
**Eisenberg**

(10) Patent No.:

**US D472,009 S**

(45) Date of Patent:

**\*\* Mar. 18, 2003**

(54) **LAMP**

(76) Inventor: **Howard M. Eisenberg**, 6538 SW.  
Firlock Way, #2, Tigard, OR (US)  
97223

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/150,767**

(22) Filed: **Nov. 28, 2001**

(51) **LOC (7) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/96**

(58) **Field of Search** ..... D26/51, 58, 93-112;  
D6/399, 470; 362/125, 133, 135-140, 155,  
158, 161, 211, 227, 235-248, 806, 810;  
312/114, 223.5

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,610,918 A	10/1971	Barlow	
3,937,948 A	2/1976	Allison	
4,001,576 A	1/1977	Goddard	
4,121,279 A	10/1978	Whitesel	
D280,850 S	* 10/1985	Merino	..... D26/102
5,008,780 A	* 4/1991	Pennington-Ridge	... 362/282 X
5,136,492 A	8/1992	Rush	
5,199,202 A	4/1993	Musgrave	
5,473,525 A	12/1995	Stout	

\* cited by examiner

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Linda Brooks

(74) *Attorney, Agent, or Firm*—Howard Eisenberg, Esq.

(57) **CLAIM**

The ornamental design for a lamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a lamp with a single illuminated bulb within, showing multiple reflective images which are produced when the bulb is illuminated in broken lines for illustrative purposes only.

FIG. 2 is a top elevational view thereof, showing the lamp in a non-illuminated state.

FIG. 3 is a front elevational view thereof, showing the lamp in a non-illuminated state.

FIG. 4 is a bottom elevation view thereof.

FIG. 5 is a side elevational view thereof, showing the lamp in a non-illuminated state.

FIG. 6 is a front perspective view thereof, showing the lamp in a non-illuminated state.



FIG. 7 is a perspective view of the thereof, showing the lamp in a non-illuminated state.

FIG. 8 is a perspective view of an alternative embodiment of the lamp with three illuminated bulbs within, showing multiple reflective images which are produced when the bulbs are illuminated in broken lines for illustrative purposes only.

FIG. 9 is a front perspective view of an alternative embodiment of the lamp, shown in a non-illuminated state; and,

FIG. 10 is a front perspective view of an alternative embodiment of the lamp, shown in a non-illuminated state.

**1 Claim, 8 Drawing Sheets**






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10