

(12) United States Design Patent (10) Patent No.: US D472,127 S Willinger et al. (45) Date of Patent: ** Mar. 25, 2003

(54) **CLIPPER HANDLES**

- (75) Inventors: Jonathan Willinger, Tenafly, NJ (US); Yoon Ho Choi, Seoul (KR)
- (73) Assignee: J W Pet Company Inc., Hasbrouck Heights, NJ (US)
- (**) Term: **14 Years**

(21) Appl. No.: 29/158,773

(74) Attorney, Agent, or Firm-Katten Muchin Zavis Rosenman

(57) CLAIM

The ornamental design for clipper handles, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the clipper handles showing

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,632,245 A	* 3/1953	De Garmo 30/193
3,283,404 A	* 11/1966	Hickman 81/324
D218,796 S	* 9/1970	Rogers D8/5
4,074,597 A	* 2/1978	Jansson 30/261
D262,090 S	* 12/1981	Wahlberg D8/58
4,829,858 A	* 5/1989	Kern et al 81/415
D366,199 S	* 1/1996	Bartky D8/52
D431,761 S	* 10/2000	Deville

our new design, the handles being shown on a clipper in the closed configuration for purposes of illustrating use, with other clipper components being shown in dotted lines for purposes of illustrating the environment and forming no part of the claimed design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side elevation thereof; FIG. 5 is a right side elevation thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a perspective view of the clipper handles showing our new design, the handles being shown on a clipper in the open configuration for purposes of illustrating use, with other clipper components being shown in dotted lines for purposes of illustrating the environment and forming no part of the claimed design; FIG. 9 is a front view thereof; FIG. 10 is a rear view thereof; FIG. 11 is a left side elevation thereof; FIG. 12 is a right side elevation thereof;

* cited by examiner

Primary Examiner—Alan P. Douglas Assistant Examiner—Clare E. Heflin FIG. 13 is a top view thereof; and, FIG. 14 is a bottom view thereof.

1 Claim, 8 Drawing Sheets



U.S. Patent US D472,127 S Mar. 25, 2003 Sheet 1 of 8







U.S. Patent US D472,127 S Mar. 25, 2003 Sheet 2 of 8









FIG. 2

U.S. Patent US D472,127 S Mar. 25, 2003 Sheet 3 of 8





FIG. 4

FIG. 5





FIG. 6

U.S. Patent US D472,127 S Mar. 25, 2003 Sheet 4 of 8





U.S. Patent Mar. 25, 2003 Sheet 5 of 8 US D472,127 S



U.S. Patent US D472,127 S Mar. 25, 2003 Sheet 6 of 8





U.S. Patent US D472,127 S Mar. 25, 2003 Sheet 7 of 8







FIG. 11

U.S. Patent Mar. 25, 2003 Sheet 8 of 8 US D472,127 S



FIG. 13

