



US00D472162S

(12) **United States Design Patent**
Dullemen

(10) **Patent No.:** **US D472,162 S**

(45) **Date of Patent:** **** Mar. 25, 2003**

(54) **TIMER**

(75) Inventor: **Marlies van Dullemen**, Leiden (NL)

(73) Assignee: **Akzo Nobel N.V.**, Arnhem (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/160,362**

(22) Filed: **May 8, 2002**

Related U.S. Application Data

(62) Division of application No. 29/138,849, filed on Mar. 20, 2001, now Pat. No. Des. 460,004.

(30) **Foreign Application Priority Data**

Sep. 20, 2000 (XH) DMA/005 116

(51) **LOC (7) Cl.** **10-03**

(52) **U.S. Cl.** **D10/40**

(58) **Field of Search** D10/15, 40, 41,
D10/44; 200/35 H, 35 R, 36, 37 A, 38 A,
38 B, 38 F, 38 FA, 38 D, 38 DA, 38 DC,
38 FB, 38 R; 307/141; 369/93, 96, 97,
98, 99, 100, 107, 108, 109, 110, 112, 113,
246, 276, 277

(56) **References Cited**

U.S. PATENT DOCUMENTS

D258,806 S * 4/1981 Mericle et al. D10/44
D282,056 S * 1/1986 Levine D10/44
5,023,852 A * 6/1991 Mikels 368/93
D321,669 S * 11/1991 Hoehne D10/44

D352,668 S * 11/1994 Peersmann D10/40

* cited by examiner

Primary Examiner—Doris V. Coles

Assistant Examiner—Elizabeth A. Albert

(74) *Attorney, Agent, or Firm*—Joan M. McGillicuddy

(57) **CLAIM**

The ornamental design for a timer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the timer;

FIG. 2 is a front view of the first embodiment of the timer;

FIG. 3 is a back view of the first embodiment of the timer;

FIG. 4 is a left side view of the first embodiment of the timer, the right side being the same;

FIG. 5 is a top view of the first embodiment of the timer, the bottom view being the same;

FIG. 6 is a perspective view of a second embodiment of the timer;

FIG. 7 is a front view of the second embodiment of the timer;

FIG. 8 is a perspective view of a third embodiment of the timer;

FIG. 9 is a front view of the third embodiment of the timer;

FIG. 10 is a back view of the third embodiment of the timer;

FIG. 11 is a left side view of the third embodiment of the timer, the right side being the same; and,

FIG. 12 is a top view of the third embodiment of the timer, the bottom view being the same.

1 Claim, 5 Drawing Sheets




Fig. 1





Fig. 2

Fig. 3




Fig. 4




Fig. 5




Fig. 6





Fig. 7

Fig. 8





Fig. 9

Fig. 10




Fig. 11




Fig. 12

