



US00D472243S

(12) **United States Design Patent**
Agata

(10) **Patent No.:** **US D472,243 S**

(45) **Date of Patent:** **** Mar. 25, 2003**

(54) **FACSIMILE TRANSMITTER-RECEIVER**

(75) **Inventor:** **Nobuyuki Agata, Soka (JP)**

(73) **Assignee:** **Canon Kabushiki Kaisha, Tokyo (JP)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/160,980**

(22) **Filed:** **May 21, 2002**

(30) **Foreign Application Priority Data**

Nov. 29, 2001 (JP) 2001-035025

(51) **LOC (7) Cl. 16-03**

(52) **U.S. Cl. D14/463**

(58) **Field of Search D14/462-471;**
358/400, 401, 501-506; D18/36, 37

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,166,812 A * 11/1992 Dow et al. 358/400 X
- D331,580 S * 12/1992 Sakaue et al. D14/463
- 5,329,377 A * 7/1994 Gregg 358/400

- D350,766 S * 9/1994 Tomatsu et al. D14/463
- D370,479 S * 6/1996 Omino D14/463
- D376,141 S * 12/1996 Takeuchi D14/463
- D421,979 S 3/2000 Agata D14/118

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(57) **CLAIM**

The ornamental design for a facsimile transmitter-receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a facsimile transmitter-receiver showing my new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a right side view thereof; and,
 FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7