



US00D472482S

(12) **United States Design Patent**
Seymour et al.

(10) **Patent No.:** **US D472,482 S**

(45) **Date of Patent:** **** Apr. 1, 2003**

(54) **ALTERNATING CURRENT CLAMP**

6,091,237 A * 7/2000 Chen 324/142
6,448,753 B1 * 9/2002 Hsu et al. 324/76.11
6,456,060 B1 * 9/2002 Wiesemann 324/127

(75) Inventors: **Adam Seymour**, Miami, FL (US);
Jaroslav Bras, Miami, FL (US)

* cited by examiner

(73) Assignee: **Advanced Test Products, Inc.**,
Miramar, FL (US)

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Baker & Hostetler LLP

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/158,969**

The ornamental design for an alternating current clamp, as shown and described.

(22) Filed: **Apr. 15, 2002**

DESCRIPTION

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/79**

(58) **Field of Search** D10/79; 324/115,
324/116, 126, 127, 121 R, 133, 156


FIG. 1 is a perspective view of the alternating current clamp, particularly showing the inventive design thereof;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D160,179 S 9/1950 Koch D26/1
D184,402 S * 2/1959 Koch D10/79

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7