



US00D472500S

(12) **United States Design Patent**
Uehara et al.

(10) **Patent No.:** **US D472,500 S**
(45) **Date of Patent:** **** Apr. 1, 2003**

(54) **BUCKLE**

(75) Inventors: **Ryoichiro Uehara, Kurobe (JP);
Tomohisa Ishida, Kawaguchi (JP)**

(73) Assignee: **YKK Corporation, Tokyo (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/136,505**

(22) Filed: **Feb. 2, 2001**

(30) **Foreign Application Priority Data**

Aug. 2, 2000 (JP) 2000-021262

(51) **LOC (7) Cl.** **02-07**

(52) **U.S. Cl.** **D11/216**

(58) **Field of Search** D11/200, 216,
D11/218; 24/200, 196, 625, 303

(56) **References Cited**

U.S. PATENT DOCUMENTS

D46,861 S	*	1/1915	Christl	D11/218
D55,082 S	*	5/1920	Rounseville	D11/218
3,127,650 A	*	4/1964	Seward	24/303
D254,760 S	*	4/1980	Petlewski	D11/216
D385,826 S	*	11/1997	Anscher	D11/216

* cited by examiner

Primary Examiner—Louis S. Zarfaz

Assistant Examiner—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson,
Farabow, Garrett, & Dunner LLP

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a male member of a buckle.

FIG. 2 is a rear view of the male member of FIG. 1.

FIG. 3 is a top plan view of the male member of FIG. 1.

FIG. 4 is a bottom plan view of the male member of FIG. 1.

FIG. 5 is a right side view of the male member of FIG. 1 the left side being a mirror image thereof.

FIG. 6 is a cross-sectional view taken on line 6—6 of FIG. 1.

FIG. 7 is a cross-sectional view taken on line 7—7 of FIG. 1.

FIG. 8 is a front view of a female member of the buckle.

FIG. 9 is a rear view of the female member of FIG. 8.

FIG. 10 is a top plan view of the female member of FIG. 8.

FIG. 11 is a bottom plan view of the female member of FIG. 8.

FIG. 12 is a right side view of the female member of FIG. 8 the left side being a mirror image thereof.

FIG. 13 is a cross-sectional view taken on line 13—13 of FIG. 8.

FIG. 14 is a cross-sectional view taken on line 14—14 of FIG. 8.

FIG. 15 is a front view of the buckle in coupled disposition.

FIG. 16 is a rear view of the buckle of FIG. 15.

FIG. 17 is a top plan view of the buckle of FIG. 15.

FIG. 18 is a bottom plan view of the buckle of FIG. 15.

FIG. 19 is a right side view of the buckle of FIG. 15 the left side being a mirror image thereof; and,

FIG. 20 is a cross-sectional view taken on line 20—20 of FIG. 15.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

