



US00D472500S

(12) **United States Design Patent**  
**Uehara et al.**

(10) **Patent No.:** **US D472,500 S**  
(45) **Date of Patent:** **\*\* Apr. 1, 2003**

(54) **BUCKLE**

(75) Inventors: **Ryoichiro Uehara**, Kurobe (JP);  
**Tomohisa Ishida**, Kawaguchi (JP)

(73) Assignee: **YKK Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/136,505**

(22) Filed: **Feb. 2, 2001**

(30) **Foreign Application Priority Data**

Aug. 2, 2000 (JP) ..... 2000-021262

(51) **LOC (7) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Search** ..... D11/200, 216,  
D11/218; 24/200, 196, 625, 303

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D46,861 S \* 1/1915 Christl ..... D11/218  
D55,082 S \* 5/1920 Rounseville ..... D11/218  
3,127,650 A \* 4/1964 Seward ..... 24/303  
D254,760 S \* 4/1980 Petlewski ..... D11/216  
D385,826 S \* 11/1997 Anscher ..... D11/216

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson,  
Farabow, Garrett, & Dunner LLP

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a male member of a buckle.

FIG. 2 is a rear view of the male member of FIG. 1.

FIG. 3 is a top plan view of the male member of FIG. 1.

FIG. 4 is a bottom plan view of the male member of FIG. 1.

FIG. 5 is a right side view of the male member of FIG. 1 the left side being a mirror image thereof.

FIG. 6 is a cross-sectional view taken on line 6—6 of FIG. 1.

FIG. 7 is a cross-sectional view taken on line 7—7 of FIG. 1.

FIG. 8 is a front view of a female member of the buckle.

FIG. 9 is a rear view of the female member of FIG. 8.

FIG. 10 is a top plan view of the female member of FIG. 8.

FIG. 11 is a bottom plan view of the female member of FIG. 8.

FIG. 12 is a right side view of the female member of FIG. 8 the left side being a mirror image thereof.

FIG. 13 is a cross-sectional view taken on line 13—13 of FIG. 8.

FIG. 14 is a cross-sectional view taken on line 14—14 of FIG. 8.

FIG. 15 is a front view of the buckle in coupled disposition.

FIG. 16 is a rear view of the buckle of FIG. 15.


FIG. 17 is a top plan view of the buckle of FIG. 15.

FIG. 18 is a bottom plan view of the buckle of FIG. 15.


FIG. 19 is a right side view of the buckle of FIG. 15 the left side being a mirror image thereof; and,

FIG. 20 is a cross-sectional view taken on line 20—20 of FIG. 15.


**1 Claim, 7 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




***FIG. 5***




***FIG. 6***




***FIG. 7***




**FIG. 8**




**FIG. 9**




**FIG. 10**




**FIG. 11**




**FIG. 12**




**FIG. 13**




**FIG. 14**




**FIG. 15**




**FIG. 16**




**FIG. 17**



**FIG. 18**



**FIG. 19**



**FIG. 20**

