



US00D472516S

(12)

United States Design Patent
Douce

(10)

Patent No.: US D472,516 S

(45)

Date of Patent: ** Apr. 1, 2003

(54) TREAD OF A TIRE

D464,312 S * 10/2002 Douce D12/560

(75) Inventor: **Emmanuelle Douce**, Yasuraoka (JP)

(73) Assignee: **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/153,509**

(22) Filed: **Jan. 9, 2002**

(30) Foreign Application Priority Data

Jul. 9, 2001 (FR) 01 4135

(51) LOC (7) Cl. **12-15**

(52) U.S. Cl. **D12/560**

(58) Field of Search D12/544, 545,
D12/547, 549, 550, 551, 552, 553, 555,
556, 558, 559, 560, 564, 566, 580, 585,
586, 596, 600, 602; 152/209.1, 209.9, 209.11,
209.12, 209.13, 209.26, 209.28

(56) References Cited

U.S. PATENT DOCUMENTS

D320,180 S 9/1991 Diensthuber

D322,237 S 12/1991 Nakatani

D328,583 S 8/1992 Graas et al.

D351,368 S 10/1994 Graas et al.

D369,995 S 5/1996 Graas et al.

D387,714 S 12/1997 Heinen

D429,194 S * 8/2000 Heinen et al. D12/566

D441,328 S * 5/2001 Heinen et al. D12/558

D448,721 S * 10/2001 Ochi D12/564

D450,652 S * 11/2001 Shimizu et al. D12/549

D451,068 S * 11/2001 Heinen et al. D12/547

D451,439 S * 12/2001 Hashimoto D12/555

D451,868 S * 12/2001 Graas et al. D12/560

OTHER PUBLICATIONS

Co-op Pacemark Super GT Tire, 2001 Tread Design Guide, Jan. 2001, p. 22. 1/4.*
Falken HS-435 Tire, 2001 Tread Design Guide, Jan. 2001, p. 31, 1/3.*
Goodyear Eagle Ultra Grip GW2 Tire, 2001 Tread Design Guide, Jan. 2001, p. 35. 4/1.*
Hallmark Ultra HPR Radial G/T Tire, 2001 Tread Design Guide, Jan. 2001, p. 37. 3/5.*
Marshal Power Grip 749 Tire, 2001 Tread Design Guide, Jan. 2001, p. 45. 3/2.*
Nokian Hakkapeliitta 1 Tire, 2001 Tread Design Guide, Jan. 2001, p. 55. 3/1.*
Yokohama Guardex F340 Tire, 2001 Tread Design Guide, Jan. 2001, p. 73. 4/5.*

* cited by examiner

Primary Examiner—Robert M. Spear
(74) Attorney, Agent, or Firm—Baker Botts L.L.P.

(57)


CLAIM

The ornamental design for a tread of a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tread of a tire of the present invention, it being understood that the pattern is repeated uniformly throughout the circumference of the tread; and, FIG. 2 is a front elevational view of the tire tread shown in FIG. 1.
The broken lines showing the tire inner beads and sidewalls in FIGS. 1 and 2 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2