



US00D472656S

(12) **United States Design Patent**
Pfeiffer et al.

(10) **Patent No.:** **US D472,656 S**

(45) **Date of Patent:** **** Apr. 1, 2003**

(54) **SURFACE CONFIGURATION OF A HEADLIGHT FOR A VEHICLE**

D448,098 S * 9/2001 Horowitz D26/28
D459,507 S * 6/2002 Horowitz D26/28
D467,020 S * 12/2002 Lin D26/28

(75) Inventors: **Peter Pfeiffer**, Boeblingen (DE); **Murat Guenak**, Ehningen (DE); **Hans-Dieter Futschik**, Gechingen (DE)

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a surface configuration of a headlight for a vehicle, as shown and described.

(21) Appl. No.: **29/166,173**

DESCRIPTION

(22) Filed: **Aug. 23, 2002**

(30) **Foreign Application Priority Data**

Feb. 26, 2002 (DE) 4 02 01 690

FIG. 1 is a front view of a first embodiment of a surface configuration of a headlight for a vehicle according to our novel design;

(51) **LOC (7) Cl.** **26-06**

FIG. 2 is a perspective view of the first embodiment of the surface configuration of a headlight for a vehicle according to our novel design;

(52) **U.S. Cl.** **D26/28**

(58) **Field of Search** D26/28-36, 120, D26/122; 362/61, 80, 81, 82, 83, 83.4, 267, 269, 275

FIG. 3 is a front view of a second embodiment of the surface configuration of a headlight for a vehicle according to our novel design; and,


(56) **References Cited**

FIG. 4 is a perspective view of a second embodiment of the surface configuration of a headlight for a vehicle according to our novel design.

U.S. PATENT DOCUMENTS

D396,311 S 7/1998 Sacco et al. D26/28

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4