



US00D472656S

(12) **United States Design Patent**  
**Pfeiffer et al.**

(10) **Patent No.:** **US D472,656 S**

(45) **Date of Patent:** **\*\* Apr. 1, 2003**

(54) **SURFACE CONFIGURATION OF A HEADLIGHT FOR A VEHICLE**

D448,098 S \* 9/2001 Horowitz ..... D26/28  
D459,507 S \* 6/2002 Horowitz ..... D26/28  
D467,020 S \* 12/2002 Lin ..... D26/28

(75) Inventors: **Peter Pfeiffer**, Boeblingen (DE); **Murat Guenak**, Ehningen (DE); **Hans-Dieter Futschik**, Gechingen (DE)

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a surface configuration of a headlight for a vehicle, as shown and described.

(21) Appl. No.: **29/166,173**

**DESCRIPTION**

(22) Filed: **Aug. 23, 2002**

(30) **Foreign Application Priority Data**

Feb. 26, 2002 (DE) ..... 4 02 01 690

FIG. 1 is a front view of a first embodiment of a surface configuration of a headlight for a vehicle according to our novel design;

(51) **LOC (7) Cl.** ..... **26-06**

FIG. 2 is a perspective view of the first embodiment of the surface configuration of a headlight for a vehicle according to our novel design;

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Search** ..... D26/28-36, 120, D26/122; 362/61, 80, 81, 82, 83, 83.4, 267, 269, 275

FIG. 3 is a front view of a second embodiment of the surface configuration of a headlight for a vehicle according to our novel design; and,


(56) **References Cited**

FIG. 4 is a perspective view of a second embodiment of the surface configuration of a headlight for a vehicle according to our novel design.

**U.S. PATENT DOCUMENTS**

D396,311 S 7/1998 Sacco et al. .... D26/28

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4