



US00D472826S

(12) **United States Design Patent**
Sanoner

(10) **Patent No.:** **US D472,826 S**

(45) **Date of Patent:** **** Apr. 8, 2003**

(54) **DISTANCE MEASURING DEVICE**

(75) **Inventor:** **Hughes Marie Sanoner**, Discovery Bay (HK)

(73) **Assignee:** **AGATEC**, Le Mesnil le Roi (FR)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/161,323**

(22) **Filed:** **May 29, 2002**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/70**

(58) **Field of Search** D10/70, 78; 33/1 CC;
356/5.1, 4.01, 3.01, 147, 5.15; 342/118;
73/290 V

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,092,602 A * 3/1992 Witler et al. 473/199
5,163,323 A * 11/1992 Davidson 73/290 V

5,949,529 A * 9/1999 Dunne et al. 356/4.01
6,137,564 A * 10/2000 Schmidt et al. 356/4.01
D460,369 S * 7/2002 Apotheloz et al. D10/70

* cited by examiner

Primary Examiner—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Leydig, Voit & Mayer, Ltd.


(57) **CLAIM**

The ornamental design for a distance measuring device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a distance measuring device showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational thereof;
FIG. 6 is a top end elevational view thereof; and,
FIG. 7 is a bottom end elevational view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7