



US00D472875S

(12) **United States Design Patent**  
**Garvis et al.**

(10) **Patent No.:** **US D472,875 S**

(45) **Date of Patent:** **\*\* Apr. 8, 2003**

(54) **BATTERY CHARGER**

(75) Inventors: **Conrad A. Garvis**, Mason, OH (US);  
**Shane R. Adams**, Lebanon, OH (US)

(73) Assignee: **Senco Products, Inc.**, Cincinnati, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/154,999**

(22) Filed: **Feb. 1, 2002**

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/107**

(58) **Field of Search** ..... D13/107, 108,  
D13/110; 320/110-115

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D271,391 S	*	11/1983	Scheid	.....	D13/107
D427,145 S	*	6/2000	Singh et al.	.....	D13/107
D429,211 S	*	8/2000	Ohi et al.	.....	D13/107
D442,140 S	*	5/2001	Kasuya et al.	.....	D13/107

\* cited by examiner

*Primary Examiner*—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Frost Brown Todd LLC

(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a battery charger showing our new design.

FIG. 2 is front elevational view of the battery charger shown in FIG. 1.

FIG. 3 is a left side elevational view of the battery charger shown in FIG. 1.

FIG. 4 is a right side elevational view of the battery charger shown in FIG. 1.



FIG. 5 is a rear elevational view of the battery charger shown in FIG. 1.

FIG. 6 is a bottom view of the battery charger shown in FIG. 1.

FIG. 7 is a cross sectional view taken along line 7—7 in FIG. 1; and,

FIG. 8 is a cross sectional view taken along line 8—8 in FIG. 6.

**1 Claim, 8 Drawing Sheets**









FIG. 1




— FIG. 2




— FIG. 3




— FIG. 4



—FIG. 5




—FIG. 6



—FIG. 7





—FIG. 8