



US00D472901S

(12) **United States Design Patent**
Kovanen et al.

(10) **Patent No.: US D472,901 S**

(45) **Date of Patent: ** *Apr. 8, 2003**

(54) **COMBINED DOCUMENT LIST AND RECORD FOR A DISPLAY SCREEN**

(75) Inventors: **David Kovanen**, Browns Point, WA (US); **Corey Young**, Provo, UT (US)

(73) Assignee: **MicroPatent, LLC**, East Haven, CT (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/112,513**

(22) Filed: **Oct. 18, 1999**

(51) **LOC (7) Cl. 14-02**

(52) **U.S. Cl. D14/486**

(58) **Field of Search D14/485-95; D18/24-33; D19/6; D20/11; D21/324-33; 345/326, 339-58**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D388,776 S * 1/1998 Zhang et al.

D392,266 S * 3/1998 Snyder et al.
D397,999 S * 9/1998 Kovanen et al.
D402,283 S * 12/1998 Anderson et al.
D409,173 S * 5/1999 Anderson et al.
D437,601 S * 2/2001 Utsuki et al.
D438,872 S * 3/2001 Utsuki et al.

* cited by examiner

Primary Examiner—M. H. Tung

(74) *Attorney, Agent, or Firm*—Milde & Hoffberg LLP

(57) **CLAIM**

The ornamental design for a combined document list and record for a display screen, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a combined document list and record for a display screen;
FIG. 2 is a front view of a second embodiment thereof;
FIG. 3 is a front view of a third embodiment thereof;
FIG. 4 is a front view of a fourth embodiment thereof; and
FIG. 5 is a front view of a fifth embodiment thereof.
The broken line disclosure of display text and graphic images in all views is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets

Amusement ride for travelling down a water chute with reduced splash

An amusement ride includes a vehicle traveling down a chute through a region of water. The vehicle is shaped to minimize splashing and to allow water to flow away from the vehicle. The vehicle flanks are curved to deflect splashing water down and away from the vehicle, and the vehicle bow has upper flanks to deflect water down and away from the vehicle. The vehicle bottom has a concave channel to accommodate water displaced by the vehicle. The vehicle has sets of wheels for traveling, for guiding lateral motion, and for interlocking with loading prevention mechanism. A groove along each side of the vehicle accommodates a splash prevention member of the water chute.




Fig. 1

The screenshot shows a software interface for patent searching. On the left is a list of patent entries with checkboxes and a progress bar. On the right is a detailed view of a patent claim, including a diagram of a vehicle and rail assembly and the text of the claim itself.

Patent List (Left):

- 5,759,775 Inhabitable space base
- 5,754,900 Method for coordinating production of an animated video
- 5,740,446 Method and apparatus for reducing noise using a ductility
- 5,739,062 Method and apparatus for creating psychologic effects
- 5,696,882 Method and apparatus for creating animation in a three-
- 5,672,391 Fluid filtering apparatus and method
- 5,671,091 Vehicle seat
- 5,639,999 Method and apparatus for providing avatars in a network
- 5,629,595 Method and apparatus for an amusement ride having an
- 5,627,133 Fireworks projectiles having different sized configurations
- 5,623,979 Dynamic ride vehicle
- 5,595,121 Amusement ride and self-propelled vehicle therefor
- 5,594,854 Efficient insect counting and packaging device
- 5,590,905 Conveying device with self-aligning powered cables
- 5,588,314 Method and system for guiding a user in a virtual hallway
- 5,585,967 Three-dimensional virtual image system
- 5,583,844 Programming device and method for controlling ride vehicle
- 5,572,361 Method and system for restraining a roller coaster in a vertical
- 5,572,783 Helmet restraining device and system
- 5,564,934 Double rail amusement ride vehicle
- 5,556,340 Amusement ride assembly with rotating base synchronization
- 5,551,320 Motion base
- 5,548,032 Special effects sound generating system
- 5,544,223 Method and apparatus for transmission of full frequency
- 5,542,534 Drinking fountain with recirculation effects
- 5,540,622 Water slide
- 5,529,332 Passenger restraint system
- 5,528,750 Fireworks projectiles having annular side shell
- 5,481,231 Method and apparatus for window synchronization of load
- 5,480,573 Signaling technique for improving appearance of parallel
- 5,475,330 Ride vehicle control system
- 5,456,134 Lateral energy absorbing device for roller coaster vehicles
- 5,453,253 Amusement ride having spinning passenger cars
- 5,440,330 Electronic device
- 5,440,351 Method for utilizing see-through film using electron
- 5,421,599 Method and apparatus for displaying an alpha channel video
- 5,421,257 Autopainted pinball device
- 5,416,347 Multi-band digital audio receiver
- 5,409,225 Apparatus for providing position signals
- 5,401,391 Apparatus for location and related method
- 5,401,152 Method and apparatus for an interactive video game with

Patent Claim (Right):

CLAIMS

1. An amusement ride of the type in which passengers are transported down a vertically inclined chute having sidewalls, to pass through a region of the chute containing water, intended to prevent splashing of the passengers, the amusement ride comprising:

- rail assemblies extending along said chute; and
- a vehicle shaped to fit within the chute in spatial relation to the side walls and the rail assemblies to travel along the chute in a forward direction while maintaining such spacing, said vehicle comprising:
 - means for contacting the rail assemblies to guide said vehicle for motion in a forward direction longitudinally along the chute without rotation as it passes through the water filled region;
 - a watertight upwardly open interior region for accommodating the passengers;
 - a forward end and a rearward end;
 - a bottom configured to define a beveled concave channel extending longitudinally substantially between said forward end and said rearward end of said vehicle, for accommodating the passage of water; and
 - side surfaces extending longitudinally rearwardly of said vehicle in spaced relation from and facing toward the side walls of the chute;

Document 44 of 130: 21 selected, 21 excluded, 63% unclassified. Page 5 of 218

Fig. 2




Fig. 3




Fig. 4




Fig. 5