



US00D472998S

(12) **United States Design Patent** (10) **Patent No.:** **US D472,998 S**
Paris et al. (45) **Date of Patent:** **** Apr. 8, 2003**

(54) **LIGHTING DEVICE**

(75) Inventors: **Chad P. Paris**, Camillus, NY (US);
Scott W. Osiecki, Skaneateles, NY
(US); **Peter F. Lynch**, Skaneateles, NY
(US)

(73) Assignee: **Eveready Battery Company, Inc.**, St.
Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/162,732**

(22) Filed: **Jun. 20, 2002**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/39**

(58) **Field of Search** D26/37-50; 362/103,
362/105, 157, 158, 171, 173, 183-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D362,736 S	*	9/1995	Leather		D26/39
D394,720 S	*	5/1998	Yuen		D26/39
D405,202 S	*	2/1999	Fattori et al.		D26/39
D441,886 S	*	5/2001	Beck		D26/39

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Robert W. Welsh


(57) **CLAIM**

We claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a view showing the front, top, and a first side of the lighting device of the present invention;
FIG. 2 is a view showing the back, top, and a second side of lighting device of the present invention;
FIG. 3 is a view of the first side of the lighting device of the present invention;
FIG. 4 is a view of the second side of the lighting device of the present invention;
FIG. 5 is a view of the front of the lighting device of the present invention; and
FIG. 6 is a view of the bottom of the lighting device of the present invention;
FIG. 7 is a view of the back of the lighting device of the present invention; and,
FIG. 8 is a view of the top of the lighting device of the present invention.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8