



US00D473034S

(12) **United States Design Patent**
Styne

(10) **Patent No.:** **US D473,034 S**

(45) **Date of Patent:** **** Apr. 15, 2003**

(54) **AIR TRAVEL INFANT SAFETY DEVICE**

D393,337 S * 4/1998 Seki D2/624
6,343,841 B1 * 2/2002 Gregg et al. 297/468

(76) Inventor: **Mercedes B. Styne**, 7090 E. Mescal
St., Apt. 166, Scottsdale, AZ (US)
85254

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Paula A. Mortimer

(74) *Attorney, Agent, or Firm*—Donald R. Schoonover

(21) Appl. No.: **29/153,193**

(57) **CLAIM**

(22) Filed: **Jan. 7, 2002**

I claim the ornamental design for an air travel infant safety device, as shown and described.

(51) **LOC (7) Cl.** **02-07**

DESCRIPTION

(52) **U.S. Cl.** **D2/624; D2/627**

(58) **Field of Search** D2/624, 627; 297/466,
297/468, 470, 488, 487; 280/801.1; 2/300,
311, 337; 24/301, 306

FIG. 1 is a perspective view of the air travel infant safety device embodying the design of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is a perspective view of the air travel infant safety device in use.


(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,268,075 A * 5/1918 Glynn 2/337
- 2,655,659 A * 10/1953 Swearingen D2/627 X
- D322,160 S * 12/1991 Dauterive D2/627
- 5,080,441 A 1/1992 Stevenson et al.
- 5,143,420 A 9/1992 Switlik
- 5,219,203 A 6/1993 Switlik
- D353,932 S * 1/1995 New D2/627

The broken line showing of environment is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 4.



FIG. 7.




FIG. 6.




FIG. 3.




FIG. 5.




FIG. 8.