



US00D473131S

(12) **United States Design Patent**  
**Berman**

(10) **Patent No.: US D473,131 S**

(45) **Date of Patent: \*\* \*Apr. 15, 2003**

(54) **FLEXIBLE BEVERAGE CONTAINER WITH OPAQUE BOTTOM**

D440,868 S 4/2001 Berman

\* cited by examiner

(75) Inventor: **Ronald H. Berman**, Long Beach, CA (US)

*Primary Examiner*—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Fulwider Patton Lee & Utecht, LLP

(73) Assignee: **Saddlesprings Beverage Company, Inc.**, Long Beach, CA (US)

(57) **CLAIM**

(\* ) Notice: This patent is subject to a terminal disclaimer.

The ornamental design for a flexible beverage container with opaque bottom, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/146,473**

FIG. 1 is a front view of my new design for a flexible beverage container with opaque bottom;

(22) Filed: **Aug. 9, 2001**

FIG. 2 is a rear elevational view of the embodiment illustrated in FIG. 1;

(51) **LOC (7) Cl.** ..... **09-05**

FIG. 3 is a top view thereof;

(52) **U.S. Cl.** ..... **D9/305**

FIG. 4 is a bottom view thereof;

(58) **Field of Search** ..... D9/302, 305; D24/207; 222/92, 107; 383/36, 61, 104, 106, 122, 906, 907

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a front elevational view of a second embodiment of my new design, the top and bottom views are as shown in FIGS. 3 and 4 respectively;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,418,733 A	*	12/1983	Kallman	.....	383/130 X
5,059,036 A	*	10/1991	Richison et al.	.....	383/103 X
D410,838 S		6/1999	Berman		
D420,900 S		2/2000	Berman		
D425,410 S		5/2000	Berman		
D429,459 S		8/2000	Berman		
D433,625 S		11/2000	Berman		
D434,976 S		12/2000	Berman		
D436,847 S		1/2001	Berman		
D436,848 S		1/2001	Berman		
D437,549 S		2/2001	Berman		

FIG. 8 is a rear elevational view of the embodiment illustrated in FIG. 7;




FIG. 9 is a left side view of the embodiment illustrated in FIG. 7, the right side being identical;


FIG. 10 is a front elevational view of a third embodiment of my new design, the top and bottom views are as shown in FIGS. 3 and 4 respectively;

FIG. 11 is a rear elevational view of the embodiment illustrated in FIG. 10; and,


FIG. 12 is a left side elevational view of the embodiment illustrated in FIG. 10, the right side being identical.

**1 Claim, 4 Drawing Sheets**





*FIG. 1*



*FIG. 2*

FIG. 3



FIG. 4




FIG. 5




FIG. 6






FIG. 7








FIG. 9


FIG. 8



*FIG. 10*



*FIG. 11*



*FIG. 12*