



US00D473244S

(12) **United States Design Patent**
Cartwright

(10) **Patent No.:** **US D473,244 S**

(45) **Date of Patent:** **** Apr. 15, 2003**

(54) **GROUSER**

5,330,019 A 7/1994 Cartwright

5,690,398 A * 11/1997 Pribyl 305/162

(75) Inventor: **Richard D. Cartwright**, Beaverton, OR
(US)

* cited by examiner

(73) Assignee: **Ironwood Designs LLC**, Tigard, OR
(US)

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Karen Dana Oster

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a grouser, as shown and described.

(21) Appl. No.: **29/155,976**

(22) Filed: **Feb. 19, 2002**

DESCRIPTION

(51) **LOC (7) Cl.** **15-03**

(52) **U.S. Cl.** **D15/28**

(58) **Field of Search** D15/22-26, 28;
305/180, 20, 9.44, 179, 165, 162; 474/153

FIG. 1 is a perspective view of a grouser showing my new design, wherein the broken line depictions of the spline element and the portion of the continuous track belt are included for illustrative purposes and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,561,825	A	*	2/1971	Gibson et al.	305/20
3,601,212	A	*	8/1971	Peterson et al.	180/9.44
3,756,668	A	*	9/1973	Russ, Sr.	305/179
4,635,740	A		1/1987	Krueger et al.		
D298,018	S		10/1988	Cartwright		
4,938,546	A	*	7/1990	Simmons	305/180
5,199,771	A	*	4/1993	James et al.	305/162
5,265,949	A	*	11/1993	Haug	305/181


FIG. 2 is a front end view of the grouser, the back end view being a mirror image thereof.

FIG. 3 is a bottom view of the grouser, wherein the broken line depictions of the mounting holes are included for illustrative purposes and form no part of the claimed design.

FIG. 4 is a top view of the grouser; and,

FIG. 5 is a first side view of the grouser, the second side view being a mirror image thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5