



US00D473374S

(12) **United States Design Patent**
Vazquez

(10) **Patent No.:** **US D473,374 S**
(45) **Date of Patent:** **** Apr. 22, 2003**

(54) **TUBULAR BAG WITH VARIABLE GATHERS**

(75) Inventor: **Maximino Vazquez**, New York, NY (US)

(73) Assignee: **Maxworld, Inc.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/137,117**

(22) Filed: **Feb. 13, 2001**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/106,466, filed on Jun. 15, 1999, now Pat. No. Des. 437,481, which is a continuation-in-part of application No. 29/094,412, filed on Oct. 1, 1998, now abandoned.

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D3/244**

(58) **Field of Search** D3/232, 244, 245, D3/246, 303; 224/42.11, 260, 429, 430, 609, 646, 905; 150/107, 108, 118, 137, 147, 100, 110; 383/2, 4, 7, 8, 11, 15, 24, 25, 38, 39, 75, 76, 121.1, 907; 190/1, 2, 102, 107, 108, 111, 115, 117, 118, 901, 903

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,148,924 A 8/1915 Paradise 383/76
1,207,533 A 12/1916 Gamble 383/38

(List continued on next page.)

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Monica A. Weingart
(74) *Attorney, Agent, or Firm*—Darby & Darby

(57) **CLAIM**

The ornamental design for a tubular bag with variable gathers, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a tubular bag with variable gathers with the bag in an uncompressed state and uncinched, the rear elevational view being a mirror image; FIG. 2 is a front elevational view of FIG. 1 in a partially compressed state;

FIG. 3 is a front elevational view of FIG. 1 in a substantially compressed state;

FIG. 4 is a front elevational view of FIG. 1 in a cinched position;

FIG. 5 is a front elevational view of FIG. 4 now in a partially compressed state;

FIG. 6 is a front elevational view of FIG. 4 in a substantially compressed state;

FIG. 7 is a right side elevational view of FIG. 1 in an uncompressed state;

FIG. 8 is a right side elevational view of FIG. 1 in a partially compressed state;

FIG. 9 is a right side elevational view of FIG. 1 in a substantially compressed state;

FIG. 10 is a right side elevational view of FIG. 4;

FIG. 11 is a right side elevational view of FIG. 5;

FIG. 12 is a right side elevational view of FIG. 6;

FIG. 13 is a top plan view of FIG. 1 with the carry strap in a slackened position;

FIG. 14 is a top plan view of FIG. 4 with the carry strap in a slackened position;


FIG. 15 is a bottom plan view of FIGS. 1–6 with the carry strap in a slackened position;

FIG. 16 is a right side elevational view of FIGS. 1–15 with the strap and bag of different fabrics; and,

FIG. 17 is a bottom plan view of FIG. 16 with the carry strap in a slackened position.

The broken lines shown in the Figures, including the cinch cords and cord-lock hardware, as well as the position of the attachments of such elements to the tubular bag with variable gathers, illustrate the environment only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D473,374 S

Page 2

U.S. PATENT DOCUMENTS

2,575,893 A	11/1951	Seamon	383/2	5,050,999 A	9/1991	Van Loon, III	383/76
3,746,066 A	7/1973	McIntyre	150/33	D360,712 S	7/1995	Bush	D3/244 X
4,196,534 A	4/1980	Shibamoto	40/10	D369,467 S	5/1996	Cole	D3/300
4,222,468 A	9/1980	DeFries	190/102	D374,975 S	10/1996	Vargas et al.	D3/244 X
4,267,868 A	5/1981	Lowe	383/2	D387,555 S	12/1997	Miller	D3/244 X
D273,833 S	5/1984	Taylor et al.	D3/244 X	5,765,691 A	6/1998	Hall	383/2 X
				6,089,752 A	7/2000	Moore	383/2




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17