



US00D473374S

(12) **United States Design Patent**  
**Vazquez**

(10) **Patent No.:** **US D473,374 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2003**

(54) **TUBULAR BAG WITH VARIABLE GATHERS**

(75) Inventor: **Maximino Vazquez**, New York, NY (US)

(73) Assignee: **Maxworld, Inc.**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/137,117**

(22) Filed: **Feb. 13, 2001**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/106,466, filed on Jun. 15, 1999, now Pat. No. Des. 437,481, which is a continuation-in-part of application No. 29/094,412, filed on Oct. 1, 1998, now abandoned.

(51) **LOC (7) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/244**

(58) **Field of Search** ..... D3/232, 244, 245, D3/246, 303; 224/42.11, 260, 429, 430, 609, 646, 905; 150/107, 108, 118, 137, 147, 100, 110; 383/2, 4, 7, 8, 11, 15, 24, 25, 38, 39, 75, 76, 121.1, 907; 190/1, 2, 102, 107, 108, 111, 115, 117, 118, 901, 903

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,148,924 A 8/1915 Paradise ..... 383/76  
1,207,533 A 12/1916 Gamble ..... 383/38

(List continued on next page.)

*Primary Examiner*—Louis S. Zarfaz  
*Assistant Examiner*—Monica A. Weingart  
(74) *Attorney, Agent, or Firm*—Darby & Darby


(57) **CLAIM**

The ornamental design for a tubular bag with variable gathers, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a tubular bag with variable gathers with the bag in an uncompressed state and uncinched, the rear elevational view being a mirror image; FIG. 2 is a front elevational view of FIG. 1 in a partially compressed state; FIG. 3 is a front elevational view of FIG. 1 in a substantially compressed state; FIG. 4 is a front elevational view of FIG. 1 in a cinched position; FIG. 5 is a front elevational view of FIG. 4 now in a partially compressed state; FIG. 6 is a front elevational view of FIG. 4 in a substantially compressed state; FIG. 7 is a right side elevational view of FIG. 1 in an uncompressed state; FIG. 8 is a right side elevational view of FIG. 1 in a partially compressed state; FIG. 9 is a right side elevational view of FIG. 1 in a substantially compressed state; FIG. 10 is a right side elevational view of FIG. 4; FIG. 11 is a right side elevational view of FIG. 5; FIG. 12 is a right side elevational view of FIG. 6; FIG. 13 is a top plan view of FIG. 1 with the carry strap in a slackened position; FIG. 14 is a top plan view of FIG. 4 with the carry strap in a slackened position; FIG. 15 is a bottom plan view of FIGS. 1–6 with the carry strap in a slackened position; FIG. 16 is a right side elevational view of FIGS. 1–15 with the strap and bag of different fabrics; and, FIG. 17 is a bottom plan view of FIG. 16 with the carry strap in a slackened position.  
The broken lines shown in the Figures, including the cinch cords and cord-lock hardware, as well as the position of the attachments of such elements to the tubular bag with variable gathers, illustrate the environment only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



# US D473,374 S

Page 2

---

U.S. PATENT DOCUMENTS						
2,575,893 A	11/1951	Seamon .....	383/2	5,050,999 A	9/1991 Van Loon, III .....	383/76
3,746,066 A	7/1973	McIntyre .....	150/33	D360,712 S	7/1995 Bush .....	D3/244 X
4,196,534 A	4/1980	Shibamoto .....	40/10	D369,467 S	5/1996 Cole .....	D3/300
4,222,468 A	9/1980	DeFries .....	190/102	D374,975 S	10/1996 Vargas et al. ....	D3/244 X
4,267,868 A	5/1981	Lowe .....	383/2	D387,555 S	12/1997 Miller .....	D3/244 X
D273,833 S	5/1984	Taylor et al. ....	D3/244 X	5,765,691 A	6/1998 Hall .....	383/2 X
				6,089,752 A	7/2000 Moore .....	383/2




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17