



US00D473581S

(12) **United States Design Patent**  
**Hirschman**

(10) **Patent No.:** **US D473,581 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2003**

(54) **SEMI-RIMLESS METAL EYEGLASS FRAME**

D455,451 S \* 4/2002 Onodera ..... D16/315  
D462,375 S \* 9/2002 Baden et al. .... D16/326

(75) Inventor: **Jason Hirschman**, Henderson, NV  
(US)

**OTHER PUBLICATIONS**

Neostyle Eyewear catalogue, P 3, 1999.\*

(73) Assignee: **Pareto Corporation**, Henderson, NV  
(US)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Raphael Barkai

(21) Appl. No.: **29/165,695**

(74) *Attorney, Agent, or Firm*—Dickstein, Shapiro, Morin  
& Oshinsky, LLP.

(22) Filed: **Aug. 16, 2002**

(57) **CLAIM**

(51) **LOC (7) Cl.** ..... **16-06**

The ornamental design for a semi-rimless metal eyeglass  
frame, as shown and described.

(52) **U.S. Cl.** ..... **D16/315; D16/328**

**DESCRIPTION**

(58) **Field of Search** ..... D16/101, 300–330,  
D16/334, 335; D29/109, 110; 351/41, 44,  
51, 52, 103, 106, 158; 2/447, 448

FIG. 1 is a perspective view of an eyeglass frame showing  
my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof; and,

FIG. 6 is a right side view thereof, the left side view being  
a mirror image thereof.


(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D221,480 S	*	8/1971	Tagnon	
4,550,989 A	*	11/1985	Hafner	351/103
D403,008 S	*	12/1998	Hyoui	D16/320
D424,096 S	*	5/2000	Conway	D16/327
D426,566 S	*	6/2000	Hirschman	D16/328
D430,190 S	*	8/2000	Hirschman	D16/315
D430,191 S	*	8/2000	Hirschman	D16/334
D432,557 S	*	10/2000	Simioni et al.	D16/335


The broken line showing on the temples, lenses and nose  
pads is for illustrative purposes only and forms no part of the  
claimed design.

**1 Claim, 3 Drawing Sheets**







**FIG. 1**




**FIG. 6**




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*