



US00D473651S

(12) **United States Design Patent**  
**Inagaki et al.**

(10) **Patent No.:** **US D473,651 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2003**

(54) **SPHYGMOMANOMETER**

**FOREIGN PATENT DOCUMENTS**

(75) Inventors: **Takashi Inagaki**, Kyoto (JP); **Yukiya Sawanoi**, Kyoto (JP); **Ryo Fukui**, Kyoto (JP)

JP 1089971 11/2000  
JP 1127962 12/2001

\* cited by examiner

(73) Assignee: **Omron Corporation**, Kyoto (JP)

*Primary Examiner*—Stella Reid

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro Morin & Oshinsky LLP

(21) Appl. No.: **29/162,880**

(57) **CLAIM**

(22) Filed: **Jun. 21, 2002**

The ornamental design for a sphygmomanometer, as shown and described.

(51) **LOC (7) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/165**

(58) **Field of Search** ..... D24/165; 600/480, 600/490, 491, 493, 494, 495

**DESCRIPTION**


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D285,965 S	*	9/1986	Nishibori et al.	.....	D24/165
D297,051 S	*	8/1988	Kawamura	.....	D24/165
D298,774 S	*	11/1988	Yubisui et al.	.....	D24/165
D344,338 S	*	2/1994	Yoshikawa et al.	.....	D24/165
D403,770 S	*	1/1999	Ozaki et al.	.....	D24/165

FIG. 1 is a perspective view of the top, front and left side of a sphygmomanometer showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a bottom view thereof;  
FIG. 7 is a left side view thereof; and,  
FIG. 8 is a perspective view with the lid open thereof.


**1 Claim, 4 Drawing Sheets**



*FIG. 1*




*FIG. 2*







*FIG. 3*




*FIG. 4*




*FIG. 5*



*FIG. 6*



*FIG. 7*



*FIG. 8*

