



US00D473652S

(12) **United States Design Patent**
Darley et al.

(10) **Patent No.: US D473,652 S**

(45) **Date of Patent: ** *Apr. 22, 2003**

(54) **SPEECH PROCESSOR FOR A COCHLEAR IMPLANT**

(75) Inventors: **Derek Ian Darley**, Cromer Heights (AU); **Tadeusz Jurkiewicz**, Rozelle (AU); **Rupert Christian Scheiner**, Davidson (AU); **Henry Hon Sang Tsui**, Mortdale (AU); **Peter Kuster**, Jona (CH)

(73) Assignee: **Cochlear Limited**, Lane Cove (AU)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/150,326**

(22) Filed: **Nov. 21, 2001**

(30) **Foreign Application Priority Data**

Jun. 7, 2001 (AU) 1801/2001

(51) **LOC (7) Cl.** **24-04**

(52) **U.S. Cl.** **D24/173**

(58) **Field of Search** D24/173, 174; 607/55, 56, 57; 381/23.1, 312, 320

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,095,904 A * 3/1992 Seligman et al. D24/174
D385,036 S * 10/1997 Nielsen D24/174
5,753,870 A * 5/1998 Schlaegel et al. 181/29
5,824,022 A * 10/1998 Zilberman et al. 607/57

* cited by examiner

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Gottlieb, Rackman & Reisman, P.C.


(57) **CLAIM**

The ornamental design for a speech processor for a cochlear implant, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a speech processor with hook for a cochlear implant, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a plan view thereof;
FIG. 4 is an inverted plan view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a rear view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7