



US00D473874S

(12) **United States Design Patent**  
**Taniguchi et al.**

(10) **Patent No.:** **US D473,874 S**

(45) **Date of Patent:** **\*\* Apr. 29, 2003**

(54) **OPTICAL DISK CARTRIDGE**

D413,115 S \* 8/1999 Schick et al. .... D14/435  
D450,053 S \* 11/2001 Bush et al. .... D14/435

(75) Inventors: **Toshiyuki Taniguchi**, Tokyo (JP);  
**Noriaki Baba**, Tokyo (JP)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **Kabushiki Kaisha Toshiba**, Tokyo (JP)

JP 1039184 5/1999

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/167,177**

*Primary Examiner*—Kay H. Chin

(22) Filed: **Sep. 11, 2002**

(74) *Attorney, Agent, or Firm*—Oblon, Spivak, McClelland,  
Maier & Neustadt, P.C.

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Mar. 12, 2002 (JP) ..... 2002-006440

The ornamental design for an optical disk cartridge, as shown and described.

(51) **LOC (7) Cl.** ..... **14-02**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D14/435**

(58) **Field of Search** ..... D14/432, 435;  
360/60, 129, 132, 133, 135, 97.01–99.12;  
206/307, 312, 308.1, 308.2, 472; 369/291,  
273, 77.2; 463/29, 43, 44


FIG. 1 is a front, top and right side perspective view of an optical disk cartridge, showing our new design;  
FIG. 2 is a top plan thereof view;  
FIG. 3 is a right side elevational view thereof; a left side elevational view being a mirror image thereof;  
FIG. 4 is a front elevational view thereof; a rear elevational view being a mirror image thereof;  
FIG. 5 is a bottom plan view thereof; and,  
FIG. 6 is a front elevational view thereof with a shutter in a slided state.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D408,808 S 4/1999 Nowell et al.  
D410,644 S \* 6/1999 Iftikar et al. .... D14/435  
D412,160 S \* 7/1999 Nelson ..... D14/435  
D412,165 S \* 7/1999 Niitsu ..... D14/435

**1 Claim, 2 Drawing Sheets**






Fig.1



Fig.2





Fig.4



Fig.3



Fig.5



**Fig. 6**