



US00D473875S

(12) **United States Design Patent**
Taniguchi et al.

(10) **Patent No.:** **US D473,875 S**
(45) **Date of Patent:** **** Apr. 29, 2003**

(54) **OPTICAL DISK CARTRIDGE**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Toshiyuki Taniguchi**, Tokyo (JP);
Noriaki Baba, Tokyo (JP)

JP 955278 6/1996

OTHER PUBLICATIONS

(73) Assignee: **Kabushiki Kaisha Toshiba**, Tokyo (JP)

Extract of *Nikkan Kogyo Shimbun* (Newspaper) showing a disk unit.

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/167,186**

Primary Examiner—Kay H. Chin

(22) Filed: **Sep. 11, 2002**

(74) *Attorney, Agent, or Firm*—Oblon, Spivak, McClelland, Maier & Neustadt, P.C.

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Mar. 12, 2002 (JP) 2002-006442

The ornamental design for an optical disk cartridge, as shown and described.

(51) **LOC (7) Cl.** **14-02**

DESCRIPTION

(52) **U.S. Cl.** **D14/435**

(58) **Field of Search** D14/432, 435;
360/60, 129, 132, 133, 135, 97.01–99.12;
206/307, 312, 308.1, 308.2, 472; 369/291,
273, 77.2; 463/29, 43, 44


FIG. 1 is a front, top and right side perspective view of an optical disk cartridge, showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a right side elevational view thereof; a left side elevational view being a mirror image thereof;
FIG. 4 is a front elevational view thereof; a rear elevational view being a mirror image thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is a front elevational view thereof with a shutter in a slided state.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D410,644 S	*	6/1999	Iftikar et al.	D14/435
D412,160 S	*	7/1999	Nelson	D14/435
D412,165 S	*	7/1999	Niitsu	D14/435
D413,115 S	*	8/1999	Schick et al.	D14/435
D450,053 S	*	11/2001	Bush et al.	D14/435

1 Claim, 2 Drawing Sheets






Fig.1




Fig.2




Fig.4



Fig.3



Fig.5




Fig. 6