



US00D473945S

(12) **United States Design Patent**
Nakanishi et al.

(10) **Patent No.:** **US D473,945 S**

(45) **Date of Patent:** **** Apr. 29, 2003**

(54) **SPHYGMOMANOMETER**

(75) Inventors: **Hiroya Nakanishi**, Kyoto (JP);
Hiroyuki Nakai, Kyoto (JP); **Kota Adachi**, Kyoto (JP); **Hikomichi Karou**, Kyoto (JP)

(73) Assignee: **Omron Corporation**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/163,268**

(22) Filed: **Jul. 2, 2002**

(51) **LOC (7) Cl.** **24-01**

(52) **U.S. Cl.** **D24/165**

(58) **Field of Search** D24/165; 600/485,
600/494, 492, 490, 489, 500, 502, 503

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D373,419 S * 9/1996 Muramatsu et al. D24/165
- 5,687,732 A * 11/1997 Inagaki et al. 600/485
- 5,795,300 A * 8/1998 Bryars 600/500
- D398,999 S * 9/1998 Maeda et al. D24/165

- D407,492 S * 3/1999 Lubs et al. D24/165
- D426,637 S * 6/2000 Ochi et al. D24/165
- D443,362 S * 6/2001 Storp D24/165
- D449,890 S * 10/2001 Semeriva D24/165

* cited by examiner

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro Morin & Oshinsky LLP

(57) **CLAIM**

The ornamental design for a sphygmomanometer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front, bottom and right side of a sphygmomanometer showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom view thereof.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7

