



US00D474000S

(12) **United States Design Patent**  
**O'Dell et al.**

(10) **Patent No.:** **US D474,000 S**

(45) **Date of Patent:** **\*\* May 6, 2003**

(54) **CAP AND PATCH**

(76) **Inventors:** **Shawn David O'Dell**, 6792 County Rd.  
39, Fort Calhoun, NE (US) 68023;  
**Timothy Shawn O'Dell**, 4558 Pioneer  
Rd., Blair, NE (US) 68008

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/152,208**

(22) **Filed:** **Dec. 13, 2001**

(51) **LOC (7) Cl.** ..... **02-03**

(52) **U.S. Cl.** ..... **D2/882**

(58) **Field of Search** ..... D2/865, 866, 869,  
D2/872, 876, 882, 884, 887, 886, 891;  
2/171, 10, 181, 195.1, 209.11, 209.13;  
D5/64; D11/96; D20/27, 28, 29

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,386,437	A	*	6/1983	Fosher	.....	2/209.13
4,611,355	A		9/1986	Galanto et al.		
4,667,274	A	*	5/1987	Daniel	.....	2/209.13
4,776,043	A	*	10/1988	Coleman	.....	2/209.13
4,873,726	A	*	10/1989	Tapia	.....	2/209.13
D311,266	S	*	10/1990	Parker	.....	D2/866
5,070,545	A	*	12/1991	Tapia	.....	2/10
5,136,726	A		8/1992	Kellin et al.		
5,253,368	A	*	10/1993	Blake	.....	2/209.13
5,359,733	A	*	11/1994	Brannon et al.	.....	2/195.1
5,359,734	A	*	11/1994	Rathburn	.....	2/209.13
D357,569	S	*	4/1995	Jacobellis	.....	D2/894
5,437,062	A	*	8/1995	Douglas	.....	2/195.1
5,465,426	A	*	11/1995	Beaton	.....	2/195.1
5,548,847	A	*	8/1996	Spicijaric	.....	2/209.13
D401,738	S	*	12/1998	Scerbo	.....	D2/882
5,862,523	A	*	1/1999	Proctor	.....	2/209.11
D405,239	S	*	2/1999	Kostinko	.....	D2/882

D407,890	S	*	4/1999	Frank	.....	D2/866
D417,063	S	*	11/1999	Henning	.....	D2/866
6,154,992	A	*	12/2000	Lee	.....	2/209.13
6,175,963	B1	*	1/2001	Loeffelholz	.....	2/195.1
6,240,568	B1	*	6/2001	Lee	.....	2/209.13

\* cited by examiner

*Primary Examiner*—Caron D. Veynar

*Assistant Examiner*—Mimosa De

(74) *Attorney, Agent, or Firm*—Skinner and Associates

(57) **CLAIM**

The ornamental design for a cap and patch, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a cap showing a first embodiment of the design of this invention.

FIG. 2 is a bottom view of the cap of FIG. 1, partially cut away to show a patch on the front of the cap.

FIG. 3 is an exploded view of the cap of FIG. 1 showing the patch removed from the hat and showing a hook and loop connector between the cap and patch.

FIG. 4 is a top view of the cap of FIG. 1.

FIG. 5 is a side view thereof, the opposite side being a mirror image.

FIG. 6 is a bottom view thereof.

FIG. 7 is a front view thereof.


FIG. 8 is a perspective view of a cap, showing a second embodiment of the design.

FIG. 9 is a perspective view of a cap, showing a third embodiment of the design.

FIG. 10 is a perspective view of a cap, showing a fourth embodiment of the design; and,

FIG. 11 is a perspective view of a cap, showing a fifth embodiment of the design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11