



US00D474151S

(12) **United States Design Patent**
James et al.

(10) **Patent No.:** **US D474,151 S**

(45) **Date of Patent:** **** May 6, 2003**

(54) **PORTABLE BATTERY JUMPER**

(75) Inventors: **Chad James**, Taylors, SC (US);
Richard M. Hulden, Taylors, SC (US)

(73) Assignee: **Sunex International, Inc.**, Greenville,
SC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/167,406**

(22) Filed: **Sep. 13, 2002**

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/119; D13/110**

(58) **Field of Search** **D13/107, 108,**
D13/110, 120, 119; 320/110-115, 104,
105

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,990,144	A	*	2/1991	Blott	604/304
5,183,407	A		2/1993	Srol	
D351,027	S	*	9/1994	Chen	D24/213
D374,859	S		10/1996	Guay et al.	
5,589,292	A		12/1996	Rozon	
5,982,138	A	*	11/1999	Krieger	320/105
D429,482	S	*	8/2000	Hussaini et al.	D13/107
D432,985	S	*	10/2000	Wan	D13/107
RE37,482	E	*	12/2001	Guay et al.	D13/110
6,356,050	B1	*	3/2002	Hussaini	320/105
D464,619	S	*	10/2002	Krieger et al.	D13/110
D466,077	S	*	11/2002	Wang	D13/110
2001/0043052	A1	*	11/2001	Griffey et al.	320/114

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Dority & Manning, P.A.

(57) **CLAIM**

The ornamental design for a portable battery jumper, as shown and described.

DESCRIPTION

FIG. 1 is an elevated perspective view of the present invention with certain features on the sides and the front shown in dashed line as environmental;

FIG. 2 is an elevated perspective view of the present invention with certain features on the sides and the back shown in dashed line as environmental;

FIG. 3 is a top plan view of the embodiment of FIGS. 1 and 2 with certain features shown in dashed line as environmental;

FIG. 4 is a left side plan view of the embodiment of FIGS. 1-3;

FIG. 5 is a front plan view of the embodiment of FIGS. 1-4; FIG. 6 is a right side plan view of the embodiment of FIGS. 1-5;

FIG. 7 is a rear plan view of the embodiment of FIGS. 1-6; FIG. 8 is a bottom plan view of the embodiment of FIGS. 1-7;


FIG. 9 is a rear plan view of an alternative embodiment of the design, with the other views being identical to FIGS. 1, 4-6 and 8;

FIG. 10 is a top plan view of the embodiment of FIGS. 1, 4-6, 8 and 9, with certain features shown in dashed line as environmental; and,

FIG. 11 is an elevated perspective view representing two additional alternative embodiments of the design, with the other views being identical to either FIGS. 2-8 without the spheroidal sections shown in FIGS. 2-8 or FIGS. 2, 4-6 and 8-10 without the spheroidal sections.

The broken lines throughout the drawings are included for the purpose of illustrating portions of the jumper that form no part of the claimed design.

1 Claim, 5 Drawing Sheets







Fig. 1

Fig. 2






Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11