



US00D474274S

(12) **United States Design Patent**
Walters

(10) **Patent No.:** **US D474,274 S**
(45) **Date of Patent:** **** May 6, 2003**

(54) **SYRINGE DOSAGE TRACKING DEVICE**

DESCRIPTION

(76) Inventor: **David Leroy Walters**, P.O. Box 34,
Bellville, WI (US) 53508

(**) Term: **14 Years**

(21) Appl. No.: **29/157,577**

(22) Filed: **Mar. 21, 2002**

(51) **LOC (7) Cl.** **24-02**

(52) **U.S. Cl.** **D24/130; D24/128; D24/227;**
D24/230

(58) **Field of Search** **D24/130, 227,**
D24/229, 230, 222, 128; 211/71.01, 74,
70.6, 60.1, 85.13, 85.18, 207; 604/163,
162, 192; 248/165; D7/637, 638, 701, 707,
708; D6/396

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,557,420	A	*	6/1951	Elliott	D24/230
D208,192	S	*	8/1967	Seymour	D24/230
3,349,937	A	*	10/1967	Duff et al.	D24/222
3,682,323	A	*	8/1972	Bergquist et al.	211/74
4,658,957	A	*	4/1987	Guth et al.	206/365
4,774,772	A	*	10/1988	Vetter et al.	211/69
5,011,028	A	*	4/1991	Sweeney	211/60.1
D354,351	S	*	1/1995	Kochansky et al.	D24/130
5,850,917	A		12/1998	Denton et al.		

* cited by examiner

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—Patricia Smith King

(57) **CLAIM**

I claim the ornamental design for a syringe dosage tracking device, as shown and described.

FIG. 1 is a front perspective view from above of a first embodiment of the syringe dosage tracking device.

FIG. 2 is a front orthogonal view of the first embodiment; the rear orthogonal view being a mirror image.

FIG. 3 is a left orthogonal view of the first embodiment; the right orthogonal view being a mirror image.

FIG. 4 is a top orthogonal view of the first embodiment.

FIG. 5 is a top view of the inner surface of the bottom of the first embodiment; the invention includes a plain and unornamented outer surface of the bottom, which is not shown.

FIG. 6 is an exploded view showing removable parts of the first embodiment.

FIG. 7 is a front perspective view of a second embodiment of a syringe dosage tracking device.

FIG. 8 is a top orthogonal view of the second embodiment.

FIG. 9 is a top view of the inner surface of the bottom of the second embodiment; the invention includes a plain and unornamented outer surface of the bottom, which is now shown; the other views are duplicative of the views of the first embodiment.

FIG. 10 is a front perspective view of a third embodiment of a syringe dosage tracking device.

FIG. 11 is a top orthogonal view of the third embodiment; and,

FIG. 12 is a top view of the inner surface of the bottom of the third embodiment; the invention includes a plain and unornamented outer surface of the bottom, which is not shown; the other views are duplicative of the views of the first embodiment.

The broken line showing of the syringe in the FIGS. 1, 2, 3, 6, 7 and 10 are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

