



US00D474418S

(12) **United States Design Patent**
Waldman

(10) **Patent No.:** **US D474,418 S**

(45) **Date of Patent:** **** May 13, 2003**

(54) **COMBINED NAVEL RING AND LOGO PORTION**

D456,732 S * 5/2002 Wilkinson D11/1
6,425,268 B1 * 7/2002 Anderson 63/12

(75) Inventor: **Cheryl Gruber Waldman**, Elkhart, IN (US)

* cited by examiner

Primary Examiner—Ralf Seifert

(73) Assignee: **Ring Barers, L.L.C.**, Seattle, WA (US)

(74) *Attorney, Agent, or Firm*—Thomas E. Watson

(*) Notice: This patent is subject to a terminal disclaimer.

(57) **CLAIM**

(**) Term: **14 Years**

An ornamental design for a combined navel ring and logo portion, as shown.

(21) Appl. No.: **29/158,537**

DESCRIPTION

(22) Filed: **Apr. 4, 2002**

FIG. 1 is a first side view of a combined navel ring and logo portion having a portion suited to the positioning of a logo or the like;

(51) **LOC (7) Cl.** **11-01**

(52) **U.S. Cl.** **D11/1**

(58) **Field of Search** D11/1, 2, 26, 43, D11/75; 63/3, 12, 13, 29.1

FIG. 2 is a second side view of the navel ring shown in FIG. 1;

FIG. 3 is a front view of the navel ring shown in FIG. 1; and, FIG. 4 is a rear view of the navel ring shown in FIG. 1.


The dashed lines are shown in the views for illustrative purposes only and form no part of the claimed design, because they (1) represent non-statutory functional subject matter, (2) represent environment for the navel ring and/or (3) they are non-limiting, and therefore disclaimed aspects of the design. The uppermost solid line defines the upper boundary of the claimed design, and the lowermost solid line defines the lower boundary of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D206,346 S	*	11/1966	Steinman	D11/75
D265,894 S	*	8/1982	Barr	D11/43
6,026,659 A	*	2/2000	Kaping, Jr.	63/12
6,244,073 B1	*	6/2001	Kaping, Jr.	63/12
D447,715 S	*	9/2001	Wilkinson	D11/1
D455,096 S	*	4/2002	Wilkinson	D11/1

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4