



US00D474423S

(12) **United States Design Patent**  
**James**

(10) **Patent No.:** **US D474,423 S**

(45) **Date of Patent:** **\*\* May 13, 2003**

(54) **TJ CLASP**

D422,530 S \* 4/2000 Zebe, Jr. .... D11/231

(76) **Inventor:** **Tommy J. James**, 1806 Bailey Ave.,  
Wilmington, NC (US) 28411

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/160,241**

(22) **Filed:** **May 6, 2002**

(51) **LOC (7) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/231**

(58) **Field of Search** ..... D11/200-231;  
D2/623-631; 24/616, 323, 587.1, 588.12,  
DIG. 42, 582.14, DIG. 38, 698.1; 267/69,  
74; 54/53

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D19,359 S \* 10/1889 Sanders ..... D2/631  
433,005 A \* 7/1890 Hirshfeld ..... 24/588.12  
949,014 A \* 2/1910 Aikins ..... 54/53  
D92,798 S \* 7/1934 Furtsch ..... D11/208  
D94,197 S \* 1/1935 Freysinger ..... D11/208  
D384,486 S \* 10/1997 Herrli ..... D2/627

**OTHER PUBLICATIONS**

Clifford & Willis Catalog, Belts, 1998, p. 26.\*

\* cited by examiner

*Primary Examiner*—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—MacCord Mason PLLC

(57) **CLAIM**

The ornamental design for a TJ clasp, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the TJ clasp showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

