



US00D474423S

(12) **United States Design Patent**
James

(10) **Patent No.:** **US D474,423 S**

(45) **Date of Patent:** **** May 13, 2003**

(54) **TJ CLASP**

D422,530 S * 4/2000 Zebe, Jr. D11/231

(76) **Inventor:** **Tommy J. James**, 1806 Bailey Ave.,
Wilmington, NC (US) 28411

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/160,241**

(22) **Filed:** **May 6, 2002**

(51) **LOC (7) Cl.** **02-07**

(52) **U.S. Cl.** **D11/231**

(58) **Field of Search** D11/200-231;
D2/623-631; 24/616, 323, 587.1, 588.12,
DIG. 42, 582.14, DIG. 38, 698.1; 267/69,
74; 54/53

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D19,359 S * 10/1889 Sanders D2/631
- 433,005 A * 7/1890 Hirshfeld 24/588.12
- 949,014 A * 2/1910 Aikins 54/53
- D92,798 S * 7/1934 Furtsch D11/208
- D94,197 S * 1/1935 Freysinger D11/208
- D384,486 S * 10/1997 Herrli D2/627

OTHER PUBLICATIONS

Clifford & Willis Catalog, Belts, 1998, p. 26.*

* cited by examiner

Primary Examiner—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—MacCord Mason PLLC

(57) **CLAIM**

The ornamental design for a TJ clasp, as shown and described.

DESCRIPTION

- FIG. 1 is a perspective view of the TJ clasp showing my new design;
- FIG. 2 is a front view thereof;
- FIG. 3 is a rear view thereof;
- FIG. 4 is a left side view thereof;
- FIG. 5 is a right side view thereof;
- FIG. 6 is a top plan view thereof; and,
- FIG. 7 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

